

# Product data sheet

Specifications



## CANopen standard cable - IP20 - IEC 60332-1 - 300 m

TSXCANCA300

Product availability: Non-Stock - Not normally stocked in distribution facility

### Main

|                                       |                        |
|---------------------------------------|------------------------|
| Range of Product                      | CANopen                |
| Bus type                              | CANopen                |
| accessory / separate part category    | Connection accessories |
| accessory / separate part type        | Connecting cable       |
| accessory / separate part destination | CANopen bus            |
| Cable length                          | 984.3 ft (300 m)       |

### Complementary

|            |                         |
|------------|-------------------------|
| marking    | CE                      |
| Net Weight | 54.15 lb(US) (24.56 kg) |

### Environment

|                         |      |
|-------------------------|------|
| IP Degree of Protection | IP20 |
|-------------------------|------|

### Ordering and shipping details

|                   |               |
|-------------------|---------------|
| Category          | US1PC1222531  |
| Discount Schedule | PC12          |
| GTIN              | 3595862011914 |
| Returnability     | No            |
| Country of origin | US            |

### Packing Units

|                              |                           |
|------------------------------|---------------------------|
| Unit Type of Package 1       | PCE                       |
| Number of Units in Package 1 | 1                         |
| Package 1 Height             | 13.189 in (33.500 cm)     |
| Package 1 Width              | 15.551 in (39.500 cm)     |
| Package 1 Length             | 15.551 in (39.500 cm)     |
| Package 1 Weight             | 54.146 lb(US) (24.560 kg) |
| Unit Type of Package 2       | P12                       |
| Number of Units in Package 2 | 18                        |
| Package 2 Height             | 44.488 in (113.000 cm)    |
| Package 2 Width              | 31.496 in (80.000 cm)     |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                  |                              |
|------------------|------------------------------|
| Package 2 Length | 47.244 in (120.000 cm)       |
| Package 2 Weight | 1000.899 lb(US) (454.000 kg) |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

## Sustainability




**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

## Well-being performance

|  |  |
|--|--|
|  Reach Free Of Svhc         |  |
|  Mercury Free               |  |
|  Rohs Exemption Information | Yes  |
| Reach Regulation   | <a href="#">REACH Declaration</a>  |
| Eu Rohs Directive  | Pro-active compliance (Product out of EU RoHS legal scope)   |
| China Rohs Regulation  | <a href="#">China RoHS declaration</a>   |
| California Proposition 65  | "WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="#">www.P65Warnings.ca.gov</a> " |