



accessory for VL150XUL, VL150UL, VL250UL, VL400UL, VL400XUL (CG frame – LG frame) undervoltage release 220...250V AC f. inst. in r.h. access. comp.

Model		
product brand name	SENTRON	
design of the product	220 to 250 V AC	
Mechanical Design		
net weight	0.1 kg	
General Product Approval		EMC



[Confirmation](#)

[Miscellaneous](#)



Declaration of Conformity	Test Certificates	Marine / Shipping
	 EG-Konf.	Special Test Certificate
		  

Marine / Shipping	other
	Environmental Confirmations Miscellaneous Confirmation

Further information
Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VL9400-1UH01
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3VL9400-1UH01
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VL9400-1UH01
CAX-Online-Generator http://www.siemens.com/cax
Tender specifications http://www.siemens.com/specifications



