


Product data sheet

Specifications



kit for UL type 1 conformity - mounted under variable speed drive

VW3A31814

Product availability: Stock - Normally stocked in distribution facility

Price*: 54.00 USD

Main

Range of Product	Altivar
Accessory / separate part category	Connection accessories
accessory / separate part type	Kit for UL type 1 conformity
Product compatibility	ATV212H075M3X ATV212H075N4 ATV212HU15M3X ATV212HU15N4 ATV212HU22M3X ATV212HU22N4 ATV312H037N4 ATV312H055N4 ATV312H075N4 ATV312H075S6 ATV312HU11M2 ATV312HU11N4 ATV312HU15M2 ATV312HU15N4 ATV312HU15S6 ATV312HU22M3
Accessory / separate part destination	Variable speed drive

Complementary

Range Compatibility	Altivar 312 Solar Altivar 312 Altivar 212
Kit composition	Mechanical device
Mounting Location	Underside of drive
Net Weight	1.1 lb(US) (0.5 kg)

Environment

Standards	UL Type 1
-----------	-----------

Ordering and shipping details

Category	US1CP4B22154
Discount Schedule	CP4B
GTIN	3389110691153
Returnability	Yes
Country of origin	FR

Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.071 in (7.800 cm)
Package 1 Width	6.496 in (16.500 cm)
Package 1 Length	9.252 in (23.500 cm)
Package 1 Weight	19.612 oz (556.000 g)
Unit Type of Package 2	S03
Number of Units in Package 2	7
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	9.689 lb(US) (4.395 kg)
Unit Type of Package 3	P06
Number of Units in Package 3	56
Package 3 Height	29.528 in (75.000 cm)
Package 3 Width	23.622 in (60.000 cm)
Package 3 Length	31.496 in (80.000 cm)
Package 3 Weight	100.381 lb(US) (45.532 kg)

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability



Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)


Well-being performance

 Reach Free Of Svhc	
 Rohs Exemption Information	Yes
Reach Regulation	REACH Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Dimensions Drawings

UL Type 1 Conformity Kits

Dimensions



- (1) Drive
- (2) Kit

Dimensions in mm

VW3	A31814, A31815	A31816	A31817
b	68	96	99

Dimensions in in.

VW3	A31814, A31815	A31816	A31817
b	2.68	3.78	3.90