Specifications

# Modbus line terminator, Altistart 48, 1200hm, for screw terminal



VW3A8306DRC

Product availability: Stock - Normally stocked in distribution facility

#### Price\*: 19.50 USD

#### Main

Range of Product	MasterPact NT Altivar MasterPact NW
Bus type	Modbus
Accessory / separate part categor	Connection accessory
accessory / separate part type	Line terminator
Accessory / separate part destination	Screw terminal
Quantity per Set	Set of 2

## Complementary

Range compatibility	Altivar 31 Altistart 48 Lexium SD3 Altivar 312 Altivar 31C Compact NSX DC & DC PV PowerPact Multistandard
Communication Port Protocol	Modbus
Terminator resistance	120 Ohm
Terminator capacitance	1 nF
Net Weight	0.4 lb(US) (0.2 kg)

## Ordering and shipping details

Category	US1CP1G18062
Discount Schedule	CP1G
GTIN	3389110400564
Returnability	Yes
Country of origin	US

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.937 in (10.000 cm)
Package 1 Width	1.969 in (5.000 cm)
Package 1 Length	2.165 in (5.500 cm)

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Unit Type of Package 2     S03       Number of Units in Package 2     100       Package 2 Height     11.811 in (30.000 cm)       Package 2 Width     11.811 in (30.000 cm)       Package 2 Length     15.748 in (40.000 cm)       Package 2 Weight     3.283 lb(US) (1.489 kg)       Unit Type of Package 3     P06       Number of Units in Package 3     800       Package 3 Height     29.528 in (75.000 cm)       Package 3 Width     23.622 in (60.000 cm)       Package 3 Length     31.496 in (80.000 cm)		
Number of Units in Package 2     100       Package 2 Height     11.811 in (30.000 cm)       Package 2 Width     11.811 in (30.000 cm)       Package 2 Length     15.748 in (40.000 cm)       Package 2 Weight     3.283 lb(US) (1.489 kg)       Unit Type of Package 3     P06       Number of Units in Package 3     800       Package 3 Height     29.528 in (75.000 cm)       Package 3 Width     23.622 in (60.000 cm)       Package 3 Length     31.496 in (80.000 cm)	Package 1 Weight	0.282 oz (8.000 g)
Package 2 Height   11.811 in (30.000 cm)     Package 2 Width   11.811 in (30.000 cm)     Package 2 Length   15.748 in (40.000 cm)     Package 2 Weight   3.283 lb(US) (1.489 kg)     Unit Type of Package 3   P06     Number of Units in Package 3   800     Package 3 Height   29.528 in (75.000 cm)     Package 3 Width   23.622 in (60.000 cm)     Package 3 Length   31.496 in (80.000 cm)	Unit Type of Package 2	S03
Package 2 Width   11.811 in (30.000 cm)     Package 2 Length   15.748 in (40.000 cm)     Package 2 Weight   3.283 lb(US) (1.489 kg)     Unit Type of Package 3   P06     Number of Units in Package 3   800     Package 3 Height   29.528 in (75.000 cm)     Package 3 Width   23.622 in (60.000 cm)     Package 3 Length   31.496 in (80.000 cm)	Number of Units in Package 2	100
Package 2 Length   15.748 in (40.000 cm)     Package 2 Weight   3.283 lb(US) (1.489 kg)     Unit Type of Package 3   P06     Number of Units in Package 3   800     Package 3 Height   29.528 in (75.000 cm)     Package 3 Width   23.622 in (60.000 cm)     Package 3 Length   31.496 in (80.000 cm)	Package 2 Height	11.811 in (30.000 cm)
Package 2 Weight3.283 lb(US) (1.489 kg)Unit Type of Package 3P06Number of Units in Package 3800Package 3 Height29.528 in (75.000 cm)Package 3 Width23.622 in (60.000 cm)Package 3 Length31.496 in (80.000 cm)	Package 2 Width	11.811 in (30.000 cm)
Unit Type of Package 3 P06   Number of Units in Package 3 800   Package 3 Height 29.528 in (75.000 cm)   Package 3 Width 23.622 in (60.000 cm)   Package 3 Length 31.496 in (80.000 cm)	Package 2 Length	15.748 in (40.000 cm)
Number of Units in Package 3     800       Package 3 Height     29.528 in (75.000 cm)       Package 3 Width     23.622 in (60.000 cm)       Package 3 Length     31.496 in (80.000 cm)	Package 2 Weight	3.283 lb(US) (1.489 kg)
Package 3 Height     29.528 in (75.000 cm)       Package 3 Width     23.622 in (60.000 cm)       Package 3 Length     31.496 in (80.000 cm)	Unit Type of Package 3	P06
Package 3 Width     23.622 in (60.000 cm)       Package 3 Length     31.496 in (80.000 cm)	Number of Units in Package 3	800
Package 3 Length     31.496 in (80.000 cm)	Package 3 Height	29.528 in (75.000 cm)
	Package 3 Width	23.622 in (60.000 cm)
Package 3 Weight     43.660 lb(US) (19.804 kg)	Package 3 Length	31.496 in (80.000 cm)
	Package 3 Weight	43.660 lb(US) (19.804 kg)

## **Contractual warranty**

Warranty

18 months

#### **Sustainability**

**Green Premium<sup>™</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

#### Well-being performance

California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
China Rohs Regulation	China RoHS declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Reach Regulation	REACh Declaration
Rohs Exemption Information	Yes
Reach Free Of Svhc	