

Modbus line terminator, Altistart 48, 150Ohm, for RJ45 connector

VW3A8306R

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 4.77 USD

Main

| Range of Product | Altivar |
|---------------------------------------|----------------------|
| Bus type | Modbus |
| Accessory / separate part categor | Connection accessory |
| accessory / separate part type | Line terminator |
| Accessory / separate part destination | RJ45 connector |
| Quantity per Set | Set of 2 |

Complementary

| Range compatibility | Altivar 61 | |
|--------------------------------|---------------------------------------------|--|
| | Altistart 48 | |
| | Preventa XPS MF | |
| | Altivar Easy 310 | |
| | Lexium SD3 | |
| | Altivar 312 | |
| | Altivar 12 | |
| | Altivar 61Q | |
| | Altivar 31 | |
| | Altivar Machine ATV340 except Sercos drives | |
| | Altivar 71 | |
| | Altivar 31C | |
| | Altistart 22 | |
| | Altivar 71Q | |
| Communication Port Protocol | ication Port Protocol Modbus | |
| Terminator resistance | 150 Ohm | |
| Net Weight 0.4 lb(US) (0.2 kg) | | |

Ordering and shipping details

| Category | US10DS222490 | |
|------------------------|---------------|--|
| Discount Schedule 0DS2 | | |
| GTIN | 3389110400540 | |
| Returnability | No | |
| Country of origin | US | |

Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|---------------------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 0.787 in (2.000 cm) |
| Package 1 Width | 1.575 in (4.000 cm) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| 1.575 in (4.000 cm) | |
|---------------------------|--|
| 0.317 oz (9.000 g) | |
| S03 | |
| 100 | |
| 11.811 in (30.000 cm) | |
| 11.811 in (30.000 cm) | |
| 15.748 in (40.000 cm) | |
| 3.382 lb(US) (1.534 kg) | |
| P06 | |
| 800 | |
| 29.528 in (75.000 cm) | |
| 23.622 in (60.000 cm) | |
| 31.496 in (80.000 cm) | |
| 39.251 lb(US) (17.804 kg) | |
| | |

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

| ⊘ | Reach Free Of Svhc | |
|----------|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ø | Toxic Heavy Metal Free | |
| Ø | Mercury Free | |
| | Rohs Exemption Information | Yes |
| Rea | ch Regulation | REACh Declaration |
| Eu F | Rohs Directive | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration |
| Chir | na Rohs Regulation | China RoHS declaration |
| Calif | fornia Proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |