

# pre-assembled cable kit for fieldbus interfaces and power supply - CANopen - 3 m

VW3L2F001R30

EAN Code: 3389118367548

#### Main

product or component type	Pre-assembled cable kits for fieldbus interfaces and power supply
accessory / separate part type	Cable
Accessory / separate part categor	Connection accessories
Accessory / separate part destination	For drives with printed circuit board connectors for power/fieldbus interface
Cable length	3 m
Additional information	With integrated cable entry with strain relief

#### Complementary

Range compatibility	Lexium ILA Lexium ILS Lexium ILE	
Communication interface	CANopen	
Electrical connection	Printed circuit board connector for drive 1 connector RJ45 for fieldbus Cable end open SUB-D 9 for power supply	
net weight	0.56 kg	

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5 cm
Package 1 Width	22 cm
Package 1 Length	23 cm
Package 1 Weight	560 g
Unit Type of Package 2	S04
Number of Units in Package 2	10
Package 2 Height	30 cm
Package 2 Width	40 cm
Package 2 Length	60 cm
Package 2 Weight	6.852 kg

### **Logistical informations**

Country of origin CZ

## **Contractual warranty**

Warranty

18 months

15 Jul 2024

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

### Well-being performance

China Rohs Regulation	China RoHS declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Reach Regulation	REACh Declaration
Pvc Free	
Rohs Exemption Information	Yes
Mercury Free	
Toxic Heavy Metal Free	
Reach Free Of Svhc	