

Product data sheet

Specifications



insert - 3 female M8, 3 pins - for 3 I/O signals

VW3L40300

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 336.36 USD

Main

| | |
|---------------------------------------|------------------------------------|
| Range of Product | Lexium integrated drive |
| Product or Component Type | Insert for communication interface |
| accessory / separate part type | Connection accessories |
| Accessory / separate part categor | Connection accessories |
| Accessory / separate part destination | For drives |

Complementary

| | |
|-----------------------|---|
| Electrical connection | 3 female connectors M8 3 pins for connection of 3 I/O signals |
| Kit composition | 1 insert with connectors 1 sealing insert |
| Input/output type | 3 I/O signals |
| Net Weight | 0.084 lb(US) (0.038 kg) |

Ordering and shipping details

| | |
|-------------------|---------------|
| Category | US1PC5618289 |
| Discount Schedule | PC56 |
| GTIN | 3389118367814 |
| Returnability | Yes |
| Country of origin | US |

Packing Units

| | |
|------------------------------|-----------------------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 1.181 in (3.000 cm) |
| Package 1 Width | 2.362 in (6.000 cm) |
| Package 1 Length | 4.724 in (12.000 cm) |
| Package 1 Weight | 1.305 oz (37.000 g) |
| Unit Type of Package 2 | S03 |
| Number of Units in Package 2 | 60 |
| Package 2 Height | 11.811 in (30.000 cm) |
| Package 2 Width | 11.811 in (30.000 cm) |
| Package 2 Length | 15.748 in (40.000 cm) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|------------------|-------------------------|
| Package 2 Weight | 5.767 lb(US) (2.616 kg) |
|------------------|-------------------------|

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

| | | |
|---|----------------------------|-----|
| ✓ | Reach Free Of Svhc | |
| ✓ | Toxic Heavy Metal Free | |
| ✓ | Mercury Free | |
| ✓ | Rohs Exemption Information | Yes |
| ✓ | Pvc Free | |

| | |
|---------------------------|---|
| Reach Regulation | REACH Declaration |
| Eu Rohs Directive | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration |
| China Rohs Regulation | China RoHS declaration |
| California Proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |