

Product datasheet

Specifications



LXM28 IO terminal block module with connection cable 0.5m for CN1 I/O interface

VW3M1C13

Main

Range of product	Lexium
Accessory / separate part categor	Connection accessory
product or component type	Terminal block
Kit composition	1 terminal block module for I/O signal connection 1 connection cable
Range compatibility	Lexium 28
Product compatibility	LXM28
Accessory / separate part destination	Servo drive

Complementary

mounting support	DIN rail
Width	87.2 mm
Length	146 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.5 cm
Package 1 Width	18.2 cm
Package 1 Length	9.1 cm
Package 1 Weight	380.0 g
Unit Type of Package 2	S03
Number of Units in Package 2	12
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	7.325 kg
Unit Type of Package 3	P12
Number of Units in Package 3	192
Package 3 Height	85.0 cm
Package 3 Width	105.0 cm
Package 3 Length	120.0 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Weight	75 kg
------------------	-------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

 Toxic Heavy Metal Free

 Mercury Free

 Pvc Free

Eu Rohs Directive	Not applicable, out of EU RoHS legal scope
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information