

# Product data sheet

Specifications



## CANopen preassembled cable, for CANopen bus, 1m, 1 x RJ45, 1 female SUB D 9

VW3M3805R010

Product availability: Stock - Normally stocked in distribution facility

Price\*: 93.00 USD

### Main

Range of Product	CANopen
Range compatibility	Modicon LMC058 Lexium 28 Modicon M238 Lexium SD3 Modicon M258 Magelis XBT GC, GT/GK with control
Bus type	CANopen
Accessory / separate part categor	Connection accessory
accessory / separate part type	Connecting cable
Product or Component Type	CANopen preassembled cable
Accessory / separate part destination	CANopen bus

### Complementary

Cable length	3.3 ft (1 m)
Electrical Connection	2 connectors
Connector Type	1 RJ45 1 female SUB-D 9 with integrated line terminator
Net Weight	0.170 lb(US) (0.077 kg)

### Ordering and shipping details

Category	US1PC5118263
Discount Schedule	PC51
GTIN	3389119214599
Returnability	Yes
Country of origin	US

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.787 in (2.000 cm)
Package 1 Width	5.118 in (13.000 cm)
Package 1 Length	7.087 in (18.000 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Weight	2.469 oz (70.000 g)
Unit Type of Package 2	S03
Number of Units in Package 2	100
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	17.103 lb(US) (7.758 kg)
Unit Type of Package 3	P06
Number of Units in Package 3	800
Package 3 Height	29.528 in (75.000 cm)
Package 3 Width	23.622 in (60.000 cm)
Package 3 Length	31.496 in (80.000 cm)
Package 3 Weight	154.465 lb(US) (70.064 kg)

## Contractual warranty

Warranty	18 months
----------	-----------

## Sustainability





**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

## Well-being performance

 Reach Free Of Svhc	
 Toxic Heavy Metal Free	
 Mercury Free	
 Rohs Exemption Information	Yes
Reach Regulation	<a href="#">REACH Declaration</a>
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
China Rohs Regulation	<a href="#">China RoHS declaration</a>
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>