



power cable - between servomotor BDH, BSH and servodrive - 4x1.5mm $Å^2+2x1$ mm $Å^2-10$ m

VW3M5101R100

Main

Product or component type	Power cable Preassembled power cordset		
accessory / separate part type			
Accessory / separate part category	Connection accessory		
Product compatibility	Servo motor BMH, 1 motor stacks (70 mm)		
	Servo motor BMH, 2 motor stacks (70 mm)		
	Servo motor BMH, 3 motor stacks (70 mm)		
	Servo motor BMH, 1 motor stacks (100 mm)		
	Servo motor BMH, 2 motor stacks (100 mm)		
	Servo motor BMH, 3 motor stacks (100 mm)		
	Servo motor BMH, 1 motor stacks (140 mm)		
	Servo motor BSH, 1 motor stacks (55 mm)		
	Servo motor BSH, 2 motor stacks (55 mm)		
	Servo motor BSH, 3 motor stacks (55 mm)		
	Servo motor BSH, 1 motor stacks (70 mm)		
	Servo motor BSH, 2 motor stacks (70 mm)		
	Servo motor BSH, 3 motor stacks (70 mm)		
	Servo motor BSH, 1 motor stacks (100 mm)		
	Servo motor BSH, 2 motor stacks (100 mm)		
	Servo motor BSH, 3 motor stacks (100 mm)		
	Servo motor BSH, 1 motor stacks (140 mm)		
Accessory / separate part destination	Between servo motor and servo drive		
Range compatibility	Lexium 32		
	Lexium 05		
	Lexium 15		
Cable length	10 m		
Cable composition	4 x 1.5 mm² + 2 x 1 mm²		

Complementary

Electrical connection	Connector - industrial M23 for servo motor side Free end for servo drive side	
Product weight	2.29 kg	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.0 cm
Package 1 Width	44.9 cm
Package 1 Length	39.8 cm
Package 1 Weight	2.388 kg
Unit Type of Package 2	S06
Number of Units in Package 2	30

Package 2 Height	74 cm	
Package 2 Width	60 cm	
Package 2 Length	80 cm	
Package 2 Weight	84 64 ka	

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

②	Reach Free Of Svhc	
②	Toxic Heavy Metal Free	
②	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information