

# power cable - between servomotor BDH, BSH and servodrive - $4x1.5mm^2+2x1mm^2-8m$

VW3M5101R15

#### Main

Product or component type	Power cable Preassembled power cordset		
accessory / separate part type			
Accessory / separate part category	Connection accessory		
Product compatibility	Servo motor BMH, 1 motor stacks (70 mm)		
	Servo motor BMH, 2 motor stacks (70 mm)		
	Servo motor BMH, 3 motor stacks (70 mm)		
	Servo motor BMH, 1 motor stacks (100 mm)		
	Servo motor BMH, 2 motor stacks (100 mm)		
	Servo motor BMH, 3 motor stacks (100 mm)		
	Servo motor BMH, 1 motor stacks (140 mm)		
	Servo motor BSH, 1 motor stacks (55 mm)		
	Servo motor BSH, 2 motor stacks (55 mm)		
	Servo motor BSH, 3 motor stacks (55 mm)		
	Servo motor BSH, 1 motor stacks (70 mm)		
	Servo motor BSH, 2 motor stacks (70 mm)		
	Servo motor BSH, 3 motor stacks (70 mm)		
	Servo motor BSH, 1 motor stacks (100 mm)		
	Servo motor BSH, 2 motor stacks (100 mm)		
	Servo motor BSH, 3 motor stacks (100 mm)		
	Servo motor BSH, 1 motor stacks (140 mm)		
Accessory / separate part destination	Between servo motor and servo drive		
Range compatibility	Lexium 05		
	Lexium 32		
	Lexium 15		
Cable length	1.5 m		
Cable composition 4 x 1.5 mm <sup>2</sup> + 2 x 1 mm <sup>2</sup>			

## Complementary

Electrical connection	Connector - industrial M23 for servo motor side Free end for servo drive side
Product weight	0.6 ka

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.500 cm
Package 1 Width	28.000 cm
Package 1 Length	30.000 cm
Package 1 Weight	451.000 g
Unit Type of Package 2	S02
Number of Units in Package 2	10

Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	5.030 kg

## **Contractual warranty**

Warranty 18 months

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

## Well-being performance

	Reach Free Of Svhc	
<b>⊘</b>	Toxic Heavy Metal Free	
<b>⊘</b>	Mercury Free	
<b>Ø</b>	Rohs Exemption Information	Yes
<b>Ø</b>	Pvc Free	
Rea	ch Regulation	REACh Declaration
Eu F	Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Chir	na Rohs Regulation	China RoHS declaration