Specifications





power cable - between servomotor BDH, BSH and servodrive - $4x1.5mm\hat{A}^2+2x1mm\hat{A}^2 - 20m$

VW3M5101R200

Product availability: Stock - Normally stocked in distribution facility

Price*: 251.98 USD

Main

Product or Component Type	Power cable	
accessory / separate part type	Preassembled power cordset	
Accessory / separate part category	Connection accessory	
Product compatibility	Servo motor BMH, 1 2.8 in (70 mm))	
	Servo motor BMH, 2 2.8 in (70 mm))	
	Servo motor BMH, 3 2.8 in (70 mm))	
	Servo motor BMH, 1 3.9 in (100 mm))	
	Servo motor BMH, 2 3.9 in (100 mm))	
	Servo motor BMH, 3 3.9 in (100 mm))	
	Servo motor BMH, 1 5.5 in (140 mm))	
	Servo motor BSH, 1 2.2 in (55 mm))	
	Servo motor BSH, 2 2.2 in (55 mm))	
	Servo motor BSH, 3 2.2 in (55 mm))	
	Servo motor BSH, 1 2.8 in (70 mm))	
	Servo motor BSH, 2 2.8 in (70 mm))	
	Servo motor BSH, 3 2.8 in (70 mm))	
	Servo motor BSH, 1 3.9 in (100 mm))	
	Servo motor BSH, 2 3.9 in (100 mm))	
	Servo motor BSH, 3 3.9 in (100 mm))	
	Servo motor BSH, 1 5.5 in (140 mm))	
Accessory / separate part destination	Between servo motor and servo drive	
Range Compatibility	Lexium 05	
	Lexium 15	
	Lexium 32	
Cable length	65.6 ft (20 m)	
Cable composition	4 x 1.5 mm² + 2 x 1 mm²	

Complementary

Electrical connection	Connector - industrial M23 servo motor side Free end servo drive side
Product Weight	9.94 lb(US) (4.51 kg)

Ordering and shipping details

Category	US1PC5118263
Discount Schedule	PC51
GTIN	3389119207331
Returnability	Yes
Country of origin	CZ

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.598 in (6.600 cm)
Package 1 Width	16.339 in (41.500 cm)
Package 1 Length	17.913 in (45.500 cm)
Package 1 Weight	9.815 lb(US) (4.452 kg)
Unit Type of Package 2	P06
Number of Units in Package 2	20
Package 2 Height	29.528 in (75.000 cm)
Package 2 Width	23.622 in (60.000 cm)
Package 2 Length	31.496 in (80.000 cm)
Package 2 Weight	232.764 lb(US) (105.580 kg)

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
California Proposition 65	"WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov"