



power cable, between servomotor BDH, BSH and servodrive, 4x1.5mm²+2x1mm², 3m

VW3M5101R30

Main

Product or component type	Power cable	
accessory / separate part type	Preassembled power cordset	
Accessory / separate part category	Connection accessory	
Product compatibility	Servo motor BMH, 1 motor stacks (70 mm)	
	Servo motor BMH, 2 motor stacks (70 mm)	
	Servo motor BMH, 3 motor stacks (70 mm)	
	Servo motor BMH, 1 motor stacks (100 mm)	
	Servo motor BMH, 2 motor stacks (100 mm)	
	Servo motor BMH, 3 motor stacks (100 mm)	
	Servo motor BMH, 1 motor stacks (140 mm)	
	Servo motor BSH, 1 motor stacks (55 mm)	
	Servo motor BSH, 2 motor stacks (55 mm)	
	Servo motor BSH, 3 motor stacks (55 mm)	
	Servo motor BSH, 1 motor stacks (70 mm)	
	Servo motor BSH, 2 motor stacks (70 mm)	
	Servo motor BSH, 3 motor stacks (70 mm)	
	Servo motor BSH, 1 motor stacks (100 mm)	
	Servo motor BSH, 2 motor stacks (100 mm)	
	Servo motor BSH, 3 motor stacks (100 mm)	
	Servo motor BSH, 1 motor stacks (140 mm)	
Accessory / separate part destination	Between servo motor and servo drive	
Range compatibility	Lexium 05	
	Lexium 32	
	Lexium 15	
Cable length	3 m	
Cable composition	4 x 1.5 mm² + 2 x 1 mm²	

Complementary

Electrical connection	Connector - industrial M23 for servo motor side Free end for servo drive side
Product weight	0.81 ka

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.500 cm
Package 1 Width	24.000 cm
Package 1 Length	26.000 cm
Package 1 Weight	783.000 g
Unit Type of Package 2	P06
Number of Units in Package 2	75

Package 2 Height	75.000 cm	
Package 2 Width	60.000 cm	
Package 2 Length	80.000 cm	
Package 2 Weight	73.000 kg	

Contractual warranty

Warranty 18 months



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
Ø	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information