



power cable - between servomotor BSH and servodrive - 4 x 4 mmÂ<sup>2</sup> + 2 x 1 mmÂ<sup>2</sup> - 5m

VW3M5103R50

Product availability: Non-Stock - Not normally stocked in distribution facility

Price\*: 268.48 USD

#### Main

Product or Component Type	Power cable	
accessory / separate part type	Preassembled power cordset	
Accessory / separate part category	Connection accessory	
Product compatibility	Servo motor BMH, 1 7.5 in (190 mm))E IEC 60204-1 Servo motor BMH, 3 8.07 in (205 mm))E IEC 60204-1 Servo motor BSH, 2 5.5 in (140 mm)) Servo motor BSH, 3 5.5 in (140 mm)) Servo motor BSH, 4 5.5 in (140 mm))	
Accessory / separate part destination	Between servo motor and servo drive	
Range Compatibility	Lexium 32 Lexium 15 Lexium 05	
Cable length	16.4 ft (5 m)	
Cable composition	4 x 4 mm² + 2 x 1 mm²	

## Complementary

Electrical connection	Free end servo drive side Connector - industrial M40 servo motor side
Product Weight	4.70 lb(US) (2.13 kg)

#### Ordering and shipping details

	e i i e	
Category	US1PC5118263	
Discount Schedule	PC51	
GTIN	3389119207409	
Returnability	No	
Country of origin	US	

# **Packing Units**

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	3.071 in (7.800 cm)	
Package 1 Width	15.157 in (38.500 cm)	
Package 1 Length	15.433 in (39.200 cm)	
Package 1 Weight	5.631 lb(US) (2.554 kg)	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Unit Type of Package 2	P06
Number of Units in Package 2	30
Package 2 Height	29.528 in (75.000 cm)
Package 2 Width	23.622 in (60.000 cm)
Package 2 Length	31.496 in (80.000 cm)
Package 2 Weight	199.430 lb(US) (90.460 kg)

# **Contractual warranty**

Warranty 18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

## Well-being performance

<b>⊘</b>	Reach Free Of Svhc	
<b>⊘</b>	Toxic Heavy Metal Free	
<b>②</b>	Mercury Free	
	Rohs Exemption Information	Yes

## **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
California Proposition 65	"WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov"