



power cable - between servomotor BSH and servodrive - 4 x 6 mm<sup>2</sup> + 2 x 1 mm<sup>2</sup> - 3m

VW3M5105R30

### Main

Product or component type	type Preassembled power cordset	
accessory / separate part type		
Accessory / separate part category		
Product compatibility	Servo motor BMH, 1 motor stacks (190 mm) mounting type B2 conforming to EN 60204-1	
	Servo motor BMH, 2 motor stacks (190 mm) mounting type E conforming to EN 60204-1	
	Servo motor BMH, 3 motor stacks (190 mm) mounting type E conforming to EN 60204-1	
	Servo motor BMH, 3 motor stacks (205 mm) mounting type B2 conforming to EN 60204-1	
Accessory / separate part destination	Between servo motor and servo drive	
Range compatibility	Lexium 32	
Cable length	3 m	
Cable composition	4 x 6 mm² + 2 x 1 mm²	

### Complementary

Electrical connection	Free end for servo drive side Connector - industrial M40 for servo motor side
Product weight	2 kg

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5 cm
Package 1 Width	30 cm
Package 1 Length	43 cm
Package 1 Weight	2.25 kg
Unit Type of Package 2	S03
Number of Units in Package 2	5
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	11.113 kg
Unit Type of Package 3	S04

Number of Units in Package 3	5
Package 3 Height	30 cm
Package 3 Width	40 cm
Package 3 Length	60 cm
Package 3 Weight	12.502 kg

# **Contractual warranty**

Warranty 18 months



**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance

<b>Ø</b>	Reach Free Of Svhc	
<b>Ø</b>	Toxic Heavy Metal Free	
<b>9</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)  EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information