



power cable - between servomotor BSH and servodrive - 4 x 6 mm² + 2 x 1 mm² - 5m

VW3M5105R50

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 555.28 USD

Main

Product or Component Type	Power cable	
accessory / separate part type	Preassembled power cordset	
Accessory / separate part category	Connection accessory	
Product compatibility	Servo motor BMH, 1 7.5 in (190 mm))B2 IEC 60204-1 Servo motor BMH, 2 7.5 in (190 mm))E IEC 60204-1 Servo motor BMH, 3 7.5 in (190 mm))E IEC 60204-1 Servo motor BMH, 3 8.07 in (205 mm))B2 IEC 60204-1	
Accessory / separate part destination	Between servo motor and servo drive	
Range Compatibility	Lexium 32	
Cable length	16.4 ft (5 m)	
Cable composition	4 x 6 mm² + 2 x 1 mm²	

Complementary

Electrical connection	Free end servo drive side Connector - industrial M40 servo motor side
Product Weight	7.5 lb(US) (3.4 kg)

Ordering and shipping details

Category	US1PC5118263	
Discount Schedule	PC51	
GTIN	3606485263861	
Returnability	No	
Country of origin	CZ	

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	2.0 in (5.0 cm)	
Package 1 Width	11.8 in (30.0 cm)	
Package 1 Length	16.9 in (43.0 cm)	
Package 1 Weight	7.571 lb(US) (3.434 kg)	
Unit Type of Package 2	S03	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Number of Units in Package 2	3
Package 2 Height	11.8 in (30.0 cm)
Package 2 Width	11.8 in (30.0 cm)
Package 2 Length	15.7 in (40.0 cm)
Package 2 Weight	24.284 lb(US) (11.015 kg)

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
California Proposition 65	"WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov"