# **Product datasheet**

Specifications



# power cable 3m shielded 4x 1,3mm<sup>2</sup>, BCH2 MIL connector

VW3M5D2AR30

### Main

Range of product	Lexium 28	
Product or component type	Power cable	
accessory / separate part type	Preassembled power cordset	
Accessory / separate part categor	Connection accessory	
Product compatibility	Servo motor BCH2 at 1000 W (100 mm) (without brake)	
	Servo motor BCH2 at 2000 W (100 mm) (without brake)	
	Servo motor BCH2 at 300 W (130 mm) (without brake)	
	Servo motor BCH2 at 500 W (130 mm) (without brake)	
	Servo motor BCH2 at 600 W (130 mm) (without brake)	
	Servo motor BCH2 at 850 W (130 mm) (without brake)	
	Servo motor BCH2 at 900 W (130 mm) (without brake)	
	Servo motor BCH2 at 1000 W (130 mm) (without brake)	
	Servo motor BCH2 at 1500 W (130 mm) (without brake)	
	Servo motor BCH2 at 2000 W (130 mm) (without brake)	
Accessory / separate part destination	Between servo motor and servo drive	
Range compatibility	Lexium 28	
Cable length	3 m	

## Complementary

Electrical connection	Free end for servo drive side Connector - MIL small for servo motor side
AWG gauge	4 x AWG 16
Net weight	0.45 kg

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.5 cm
Package 1 Width	26.5 cm
Package 1 Length	32.0 cm
Package 1 Weight	596.0 g
Unit Type of Package 2	S02
Number of Units in Package 2	5
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm

Package 2 Weight

3.29 kg

#### **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

#### Well-being performance

	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
	Mercury Free	
	Rohs Exemption Information	Yes
	Pvc Free	
Read	ch Regulation	REACh Declaration
Eu F	Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Chin	a Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)