Specifications



# Daisy Chain DC bus connection - no connector

VW3M7102R150

Product availability: Non-Stock - Not normally stocked in distribution facility

# Price\*: 705.00 USD

#### Main

Range of Product	Altivar
Range Compatibility	Lexium 32
	Altivar Machine ATV340
	Altivar 32
	Lexium 28
	Altivar Machine ATV320
Accessory / separate part categor	Cabling accessory
accessory / separate part type	Cable
Product or Component Type	Cable
Product compatibility	Variable speed drive ATV340, 0.75…7.5 kW
	Variable speed drive ATV320B
	Variable speed drive ATV320C, 0.182.2 kW, 200240 V, single phase
	Variable speed drive ATV320C, 0.374 kW, 380500 V, three phase
	Variable speed drive ATV320C, 0.7515 kW, 525600 V, three phase
	Variable speed drive ATV320W/ATV320WS
Quantity per Set	1
Accessory / separate part destination	Between 2 drives

### Complementary

Electrical connection	Cable end open
Cable length	49.2 ft (15 m)

# Ordering and shipping details

Category	US1PC5118263	
Discount Schedule	PC51	
GTIN	3606485242309	
Returnability	No	
Country of origin	CZ	

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.756 in (7.000 cm)
Package 1 Width	10.630 in (27.000 cm)
Package 1 Length	11.024 in (28.000 cm)
Package 1 Weight	8.087 lb(US) (3.668 kg)

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Unit Type of Package 2	\$03
Number of Units in Package 2	3
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	25.069 lb(US) (11.371 kg)
Unit Type of Package 3	P12
Number of Units in Package 3	24
Package 3 Height	17.717 in (45.000 cm)
Package 3 Width	31.496 in (80.000 cm)
Package 3 Length	47.244 in (120.000 cm)
Package 3 Weight	227.006 lb(US) (102.968 kg)

# **Contractual warranty**

Warranty

18 months

#### **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

#### Well-being performance

Reach Free Of Svhc	
Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Pvc Free	
Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead