Product datasheet

Specifications

Green Premium™

SinCos Hiperface encoder cable, Lexium, 3 x (2 x 0.14mm²) + (2 x 0.34mm²), 15m

VW3M8102R150

Main

Range of product	Lexium
Accessory / separate part category	Connection accessory
accessory / separate part type	Control cable
Product or component type	SinCos Hiperface encoder cable
Accessory / separate part destination	From servo motor to servo drive
Cable composition	3 x (2 x 0.14 mm²) + (2 x 0.34 mm²)

Complementary

Electrical connection	1 connector M23 1 connector RJ45
Range compatibility	Lexium 32
Cable length	15 m
Product weight	1.1 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.5 cm
Package 1 Width	36.9 cm
Package 1 Length	37.2 cm
Package 1 Weight	958.0 g
Unit Type of Package 2	S04
Number of Units in Package 2	12
Package 2 Height	30.0 cm
Package 2 Width	40.0 cm
Package 2 Length	60.0 cm
Package 2 Weight	13.178 kg
Unit Type of Package 3	P06
Number of Units in Package 3	48
Package 3 Height	77.0 cm
Package 3 Width	80.0 cm
Package 3 Length	60.0 cm

| **Package 3 Weight** | 61.212 kg |

Contractual warranty

| **Warranty** | 18 months |

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency   RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information