

Product data sheet

Specifications



encoder cable 3m shielded, MIL
connector for BCH2.H/.M/.R, CN2
plug

VW3M8D2AR30

Product availability: Non-Stock - Not normally stocked in
distribution facility

Price*: 150.00 USD

Main

Range of Product	Lexium
accessory / separate part category	Connection accessory
accessory / separate part type	Encoder cable
Product or Component Type	Encoder cable
Device Application	For BCH2 with SinCos single turn encoder
accessory / separate part destination	From servo motor to servo drive
Cable composition	5 x (2 x 0.13 mm²)

Complementary

Electrical connection	1 connector Firewire 6 1 connector MIL 17
Range Compatibility	Lexium 28
Cable length	9.8 ft (3 m)
Net Weight	2.9 lb(US) (1.3 kg)

Ordering and shipping details

Category	US1PC5118264
Discount Schedule	PC51
GTIN	3606480735882
Returnability	No
Country of origin	TN

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.6 in (4 cm)
Package 1 Width	8.7 in (22 cm)
Package 1 Length	9.06 in (23 cm)
Package 1 Weight	8.5 oz (241 g)
Unit Type of Package 2	S02
Number of Units in Package 2	10

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Height	5.9 in (15 cm)
Package 2 Width	11.8 in (30 cm)
Package 2 Length	15.7 in (40 cm)
Package 2 Weight	5.97 lb(US) (2.71 kg)

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)

Well-being performance

✓	Reach Free Of Svhc	
✓	Toxic Heavy Metal Free	
✓	Mercury Free	
✓	Rohs Exemption Information	Yes
✓	Pvc Free	
Reach Regulation	REACH Declaration	
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration	
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)	
California Proposition 65	"WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov "	