WR159 1/3



PRODUCT-DETAILS

## **WR159**

## AL HTYPE COMP CONN 2-6ACSR 2-6



General Information		
Extended Product Type	WR159	
Product ID	7TAA267110R0003	
EAN	5415022349276	
Catalog Description	AL HTYPE COMP CONN 2-6ACSR 2-6	
Long Description	Aluminum H-Tap Connector, Wide Range, Conductor Range Main ACSR 2-6, Stranded 1- 6, Solid 2-6, TAP ACSR 2-6, Stranded 1-6, Solid 2-6, Die O	

Ordering		
EAN	5415022349276	
UPC	783786100019	
Country of Origin	Mexico	
Selling Unit of Measure	each	

## **Container Information**

Package Level 1 Units 25 EA

WR159 2/3

Package Level 1 Width	127 mm
	5 in
Package Level 1 Height	247.65 mm
-	9.75 in
Package Level 1 Depth /	57.15 mm
Length	2.25 in
Package Level 2 Units	250 EA
Package Level 2 Width	273.05 mm
	10.75 in
Package Level 2 Height	254 mm
	10 in
Package Level 2 Depth /	304.8 mm
Length	12 in
Package Level 3 Units	12000 EA
Package Level 3 Width	0 mm
	0 in
Package Level 3 Height	0 mm
	0 in
Package Level 3 Depth /	0 mm
Length	0 in

Additional Information	
Application	For Combinations of Aluminum to Aluminum and Aluminum to Copper Conductors.
Brand / Label	Blackburn
Connection Type	Compression
Effective Date	19991027
Insulation Material	None
Mounting Type	None
Number of Conductors	2
Product Name	"TERMINALS, ELECTRICAL SPLICES"
Product Type	H-Type Compression Tap Connector
Size	Length 1-7/16 inch
Special Functions	Made of 1350 Aluminum Alloy for high strength and high conductivity. Standard Compression tools and dies install all sizes - no special tools needed. Field-proven ribbed design enables excellent connector/conductor contact without distorting the conductor's shape. Fold-in tabs provide tab interlock as tool closes. Prefilled with oxide inhibitor held captive in the rib/connection area.
Standards	RUS Accepted. Complies with ANSI C119.4 Specifications
Temperature Range	up to 90 °C

Certificates and Declarations	
Data Sheet, Technical	WR159
Information	

External Classifications and Standards		
UNSPSC	39121409	
WEEE Category	Product Not in WEEE Scope	
IDEA Granular Category Code (IGCC)	4543 >> Wire connectors	

WR159 3/3

## **Categories**

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Accessories\ and\ Apparatus \rightarrow Distribution\ Connectors$ 







