WR279 1/3



PRODUCT-DETAILS

WR279

AL HTYPE COMPCONN 2/0-1ACSR 2/0-1



General Information	
Extended Product Type	WR279
Product ID	7TAA267110R0012
EAN	5415022349290
Catalog Description	AL HTYPE COMPCONN 2/0-1ACSR 2/0-1
Long Description	Aluminum Wide Range H-Type Compression Connector, Main: 2/0-1/0 ACSR, 3/0-1/0 Str., 4/0-2/0 Sol. Tap: 2/0-1 ACSR, 3/0-1/0 Str., 3/0-2/0 Sol. Die: D

Ordering	
EAN	5415022349290
UPC	783786100071
Country of Origin	Mexico
Selling Unit of Measure	each

Container Information

Package Level 1 Units 25 EA

WR279 2/3

Package Level 1 Width	0 mm 0 in
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 2 Units	250 EA
Package Level 2 Width	350.52 mm 13.8 in
Package Level 2 Height	304.8 mm 12 in
Package Level 2 Depth / Length	358.14 mm 14.1 in
Package Level 3 Units	4500 EA
Package Level 3 Width	0 mm 0 in
Package Level 3 Height	0 mm 0 in
Package Level 3 Depth / Length	0 mm 0 in

Additional Information	
Application	For Combinations of Aluminum to Aluminum and Aluminum to Copper Conductors.
Brand / Label	Blackburn
Connection Type	Compression
Effective Date	19991027
Insulation Material	None
Mounting Type	None
Number of Conductors	2
Product Name	"TERMINALS, ELECTRICAL SPLICES"
Product Type	H-Type Compression Tap Connector
Size	Length 1-13/16 inch
Special Functions	Made of 1350 Aluminum Alloy for high strength and high conductivity. Standard Compression tools and dies install all sizes - no special tools needed. Field-proven ribbed design enables excellent connector/conductor contact without distorting the conductor's shape. Fold-in tabs provide tab interlock as tool closes. Prefilled with oxide inhibitor held captive in the rib/connection area.
Standards	RUS Accepted. Complies with ANSI C119.4 Specifications
Temperature Range	up to 90 °C

Certificates and Declarations		
Data Sheet, Technical	,	
Information		

External Classifications and Standards	
UNSPSC	39121409
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4543 >> Wire connectors

WR279

WR279 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Accessories\ and\ Apparatus \rightarrow Distribution\ Connectors$







