

PRODUCT-DETAILS

WR379 AL HTYPE COMP CONN 4/0-3/0ACSR 2-6



General Information	
Extended Product Type	WR379
Product ID	7TAA267110R0020
EAN	5415022349313
Catalog Description	AL HTYPE COMP CONN 4/0-3/0ACSR 2-6
Long Description	Aluminum Wide Range H-Type Compression Connector, Main: 4/0 - 3/0 ACSR, 4/0 Str. Tap: 2-6 ACSR, 1-6 Str., 1/0-6 Sol. Die: D. 1-13/16 inch

Ordering	
EAN	5415022349313
UPC	783786100095
Country of Origin	Mexico
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	

© 2025 ABB. All rights reserved.

Subject to change without notice

25 EA

Package Level 1 Width	142.748 mm
	5.62 in
Package Level 1 Height	333.248 mm
	13.12 in
Package Level 1 Depth /	69.85 mm
Length	2.75 in
Package Level 2 Units	250 EA
Package Level 2 Width	336.55 mm
	13.25 in
Package Level 2 Height	292.1 mm
	11.5 in
Package Level 2 Depth /	374.65 mm
Length	14.75 in
Package Level 3 Units	4500 EA
Package Level 3 Width	0 mm
	0 in
Package Level 3 Height	0 mm
	0 in
Package Level 3 Depth /	0 mm
Length	0 in

Additional Information		
Application		

Application	For Combinations of Aluminum to Aluminum and Aluminum to Copper Conductors.
Brand / Label	Blackburn
Connection Type	Compression
Effective Date	19991027
Insulation Material	None
Mounting Type	None
Number of Conductors	2
Product Name	"TERMINALS, ELECTRICAL SPLICES"
Product Type	H-Type Compression Tap Connector
Size	Length 1-13/16 inch
Special Functions	Made of 1350 Aluminum Alloy for high strength and high conductivity. Standard Compression tools and dies install all sizes - no special tools needed. Field-proven ribbed design enables excellent connector/conductor contact without distorting the conductor's shape. Fold-in tabs provide tab interlock as tool closes. Prefilled with oxide inhibitor held captive in the rib/connection area.
Standards	RUS Accepted. Complies with ANSI C119.4 Specifications
Temperature Range	up to 90 °C

Certificates and Declarations

Data Sheet, Technical Information

External Classifications and Standards	
UNSPSC	39121409
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4543 >> Wire connectors

© 2025 ABB. All rights reserved.

WR379

Categories

 ${\sf Low \ Voltage \ Products \ and \ Systems \ \rightarrow \ Installation \ Products \ \rightarrow \ Cable \ Accessories \ and \ Apparatus \ \rightarrow \ Distribution \ Connectors \ Apparatus \ \rightarrow \ Distribution \ Apparatus \ \rightarrow \ Distribution \ Connectors \ Apparatus \ \rightarrow \ Distribution \ Apparatus \ \rightarrow \ Distribution \ Apparatus \ \rightarrow \ Distribution \ Apparatus \ Apparatus \ \rightarrow \ Distribution \ Apparatus \ \rightarrow \ Distribution \ Apparatus \ \rightarrow \ Distribution \ Apparatus \ Apparatus \ \rightarrow \ Distribution \ Apparatus \ \rightarrow \ Apparatus \ \rightarrow \ Distribution \ Apparatus \ \rightarrow \ Apparatus \ Apparatus \ \rightarrow \ Apparatus \ \rightarrow \ Apparatus \ Apparatus \ \rightarrow \ Apparatus \ \rightarrow \ Apparatus \ Apparatus \ \rightarrow \ Apparatus$







3/3