

# Product data sheet

Specifications



Harmony XAP, Empty control station, zinc alloy, grey, 3 cut-outs, Ø22, 130 x 80 x 77 mm

XAPG29803

Discontinued on: Dec 2, 2020

End-of-service on: Dec 31, 2020

Discontinued

Product availability: Non-Stock - Not normally stocked in distribution facility

## Main

|                               |  |
|-------------------------------|--|
| Range Of Product              | Harmony XAP                                  |
| Product Or Component Type     | Die-cast empty control station               |
| Device Short Name             | XAPG   |
| Product Destination           | For Ø 22 mm control and signalling units     |
| Number Of Cut-Out             | 3 cut-outs                                   |
| Colour Of Base Of Enclosure   | Grey RAL 7032)                               |
| Colour Of Cover               | Grey RAL 7032)                               |
| Control Station Type          | Metal  |
| Material                      | Die cast zinc                                |
| Sale Per Indivisible Quantity | 1  |
| Ip Degree Of Protection       | IP65 IEC 60529<br>IP657 NF C 20-010          |
| Resistance To Chemical Agents | Special treatment can be obtained on request |

## Complementary

|                           |                                |
|---------------------------|--------------------------------|
| Number Of Vertical Rows   | 1                              |
| Number Of Horizontal Rows | 3                              |
| Cut-Out Dimensions        | Ø 22 mm                        |
| Cable Entry               | cable gland<br>1 x cable gland |
| Thread Type               | 3/4 NPT                        |
| Cad Overall Width         | 3.15 in (80 mm)                |
| Cad Overall Height        | 5.12 in (130 mm)               |
| Cad Overall Depth         | 3.03 in (77 mm)                |
| Net Weight                | 1.80 lb(US) (0.815 kg)         |
| Compatibility Code        | XAPG                           |

## Environment

|                      |    |
|----------------------|----|
| Protective Treatment | TH |
|----------------------|----|

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                                       |  |
|---------------------------------------|--|
| Ambient Air Temperature For Storage   | -40...158 °F (-40...70 °C)               |
| Ambient Air Temperature For Operation | -13...158 °F (-25...70 °C)               |
| Electrical Shock Protection Class     | Class I IEC 60536<br>Class I NF C 20-030 |
| Ik Degree Of Protection               | IK07 EN/IEC 62262                        |

## Ordering and shipping details

|                   |               |
|-------------------|---------------|
| Category          | US10CS222475  |
| Discount Schedule | 0CS2          |
| Gtin              | 3389118381803 |
| Returnability     | No            |
| Country Of Origin | FR            |

## Packing Units

|                              |                   |
|------------------------------|-------------------|
| Unit Type Of Package 1       | PCE               |
| Number Of Units In Package 1 | 1                 |
| Package 1 Height             | 3.43 in (8.7 cm)  |
| Package 1 Width              | 3.66 in (9.3 cm)  |
| Package 1 Length             | 6.14 in (15.6 cm) |
| Package 1 Weight             | 33.65 oz (954 g)  |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Sustainability



**Green Premium™** label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency   RoHS/REACH

## Well-being performance

|   |                            |     |
|---|----------------------------|-----|
| ✓ | Reach Free Of Svhc         |     |
| ✓ | Toxic Heavy Metal Free     |     |
| ✓ | Mercury Free               |     |
| ✓ | Rohs Exemption Information | Yes |

## Certifications & Standards

|                           |  |
|---------------------------|--|
| Reach Regulation          | <a href="#">REACH Declaration</a>  |
| Eu Rohs Directive         | Pro-active compliance (Product out of EU RoHS legal scope)<br><a href="#">EU RoHS Declaration</a>  |
| China Rohs Regulation     | <a href="#">China RoHS declaration</a>   |
| Environmental Disclosure  | <a href="#">Product Environmental Profile</a>  |
| Circularity Profile       | <a href="#">End of Life Information</a>  |
| California Proposition 65 | WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |