Product data sheet

Specifications

Green Premium™

Fixing base, Harmony XVB, for modular tower lights, plastic, 70mm, 380mm black aluminium support tube + black fixing plate

XVBZ03

Main

Range Of Product	Harmony XVB
Accessory / Separate Part Designation	Fixing base
Product Or Component Type	Fixing base
Accessory / Separate Part Categor	Mounting and fixing accessories
Accessory / Separate Part Destination	Beacons and indicator banks Ø 70 mm

Complementary

Accessory / Separate Part Type	Fixing base
Product Compatibility	XVBC. XVBL.
Kit Composition	Ø 25 mm aluminium support tube Black plastic fixing plate
Height Under Base Unit	14.96 in (380 mm)
Colour	Black aluminium
Net Weight	0.44 lb(US) (0.2 kg)

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.87 in (7.3 cm)
Package 1 Width	4.57 in (11.6 cm)
Package 1 Length	18.70 in (47.5 cm)
Package 1 Weight	6.53 oz (185 g)
Unit Type Of Package 2	S04
Number Of Units In Package 2	50
Package 2 Height	11.81 in (30 cm)
Package 2 Width	15.75 in (40 cm)
Package 2 Length	23.62 in (60 cm)
Package 2 Weight	21.96 lb(US) (9.96 kg)
Unit Type Of Package 3	P06
Number Of Units In Package 3	200
Package 3 Height	30.31 in (77 cm)

Package 3 Width	31.50 in (80 cm)
Package 3 Length	23.62 in (60 cm)
Package 3 Weight	106.57 lb(US) (48.34 kg)

Contractual warranty

Warranty	18 months

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium 〉

Guide to assess a product's sustainability 〉

Transparency   RoHS/REACh

Well-being performance

✅ Reach Free Of Svhc

✅ Toxic Heavy Metal Free

✅ Mercury Free

✅ Rohs Exemption Information   Yes

## Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Pro-active compliance (Product out of EU RoHS legal scope)

                                      EU RoHS Declaration

China Rohs Regulation   China RoHS declaration

                                      Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure   Product Environmental Profile

Circularity Profile   No need of specific recycling operations

Dimensions Drawings

Dimensions and Mounting

Height under base unit	
b in mm	b in in.
380	14.96

Mounting and Clearance

Panel Cut-Out