

(!) Discontinued

Fixing base, Harmony XVB, for modular tower lights, plastic, 70mm, 380mm aluminium support tube + black fixing plate

XVBZ03A

(!) To be discontinued on: Dec 31, 2025

Product availability: Non-Stock - Not normally stocked in distribution facility

#### Main

Range of Product	Harmony XVB	
Accessory / separate part designation	Fixing base	
Product or Component Type	Fixing base	
Accessory / separate part category	Mounting and fixing accessories	
Accessory / separate part destination	Beacons and indicator banks Ø 70 mm	

## Complementary

accessory / separate part type	Fixing base
Product Compatibility	XVBC. XVBL.
Kit composition	Ø 25 mm aluminium support tube Black plastic fixing plate
Height under base unit	15.0 in (380 mm)
Color	Aluminum
Net Weight	0.4 lb(US) (0.2 kg)

# Ordering and shipping details

Category	US100XV22616
Discount Schedule	00XV
GTIN	3389110673531
Returnability	No
Country of origin	US

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.8 in (7.0 cm)
Package 1 Width	2.8 in (7.0 cm)
Package 1 Length	16.7 in (42.5 cm)
Package 1 Weight	6.3 oz (178.0 g)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Unit Type of Package 2	S04
Number of Units in Package 2	50
Package 2 Height	11.8 in (30 cm)
Package 2 Width	15.7 in (40 cm)
Package 2 Length	23.6 in (60 cm)
Package 2 Weight	21.41 lb(US) (9.71 kg)

# **Contractual warranty**

Warranty 18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance



Mercury Free



Rohs Exemption Information

Yes


#### **Certifications & Standards**

Reach Regulation	REACh Declaration	
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)	
China Rohs Regulation	China RoHS declaration	
Environmental Disclosure	Product Environmental Profile	
Circularity Profile	No need of specific recycling operations	
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov	

## XVBZ03A

# **Dimensions Drawings**

### **Dimensions and Mounting**




Height under base unit		
b in mm	b in in.	
380	14.96	

# **Product data sheet**

## XVBZ03A

Mounting and Clearance

### Panel Cut-Out



Oct 22, 2024