Product datasheet

Specifications

Green Premium™

Harmony XVB, Fixing base for modular tower lights, plastic, Ø70, 780mm black aluminium support tube + black fixing plate

XVBZ04

Main

Range Of Product	Harmony XVB
Accessory / Separate Part Designation	Fixing base
Product Or Component Type	Fixing base
Accessory / Separate Part Categor	Mounting and fixing accessories
Accessory / Separate Part Destination	Beacons and indicator banks Ø 70 mm

Complementary

Accessory / Separate Part Type	Fixing base
Product Compatibility	XVBC. XVBL.
Kit Composition	Black plastic fixing plate Ø 25 mm aluminium support tube
Height Under Base Unit	780 mm
Colour	Black aluminium
Net Weight	0.325 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	82.100 cm
Package 1 Width	7.000 cm
Package 1 Length	7.000 cm
Package 1 Weight	304.000 g
Unit Type Of Package 2	P12
Number Of Units In Package 2	50
Package 2 Height	44.500 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	27.850 kg

Contractual warranty

Warranty	18 months

Life Is On | **Schneider Electric**

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency   RoHS/REACh

Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Pro-active compliance (Product out of EU RoHS legal scope)

China Rohs Regulation   China RoHS declaration

Environmental Disclosure   Product Environmental Profile

Circularity Profile   No need of specific recycling operations

Dimensions Drawings

Dimensions and Mounting

Height under base unit	
b in mm	b in in.
780	30.71

Mounting and Clearance

Panel Cut-Out