



120mm Rotating Mirror Orange 12VAC-DC

XVR12J05

- ① Discontinued on: 31 Mar 2022
- ! End-of-service on: 17 Oct 2020

① Discontinued

EAN Code: 3606480033124

Main

Range Of Product	Harmony XVR	
Product Or Component Type	Prewired rotating mirror beacon	
Sound Signalling	Without	
Device Short Name	XVR	
Mounting Diamete	120 mm	
Ip Degree Of Protection	IP23 conforming to IEC 60529	
[Us] Rated Supply Voltage	12 V AC/DC	
Light Source	High luminosity LED, orange	

Complementary

Material	ABS (acrylonitrile butadiene-styrene): body part AS: globe
Cad Overall Width	120 mm
Cad Overall Depth	120 mm
Net Weight	0.5 kg
Marking	CE
Product Mounting	By 3 M5 screws
Supply Voltage Limits	1015 V DC 10.813.2 V AC
[Uimp] Rated Impulse Withstand Voltage	0.8 kV
Current Consumption	250 mA
Flashing Frequency	2.3 Hz
Clamping Connection Capacity	0.83 mm²
Awg Gauge	AWG 18
Cable Length	400 mm

Environment

Standards	EN 61000-6-2 EN 61000-6-4
Protective Treatment	тс
Ambient Air Temperature For Storage	-3570 °C

Ambient Air Temperature For Operation -10...50 °C

Electrical Shock Protection Class Class II conforming to IEC 61140

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

	Toxic Heavy Metal Free	
⊘	Mercury Free	
②	Rohs Exemption Information	Yes

Certifications & Standards


Reach Regulation	REACh Declaration	
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration	
China Rohs Regulation	China RoHS declaration	
Environmental Disclosure	Product Environmental Profile	
Circularity Profile	End of Life Information	


XVR12J05

Dimensions Drawings

Rotating Mirror Beacon

Dimensions





XVR12J05

Mounting and Clearance

Rotating Mirror Beacon

Panel Cut-out

