# **Product data sheet**

Specification





# Rotating beacon, Harmony XVR, 130mm, orange, without buzzer, 24V DC

XVR13B05

Product availability: Non-Stock - Not normally stocked in distribution facility

Price\*: 270.00 USD

## Main

Range Of Product	Harmony XVR
Product Or Component Type	Prewired rotating mirror beacon
Sound Signalling	Without
Device Short Name	XVR
Mounting Diamete	5.12 in (130 mm)
Ip Degree Of Protection	IP66 IEC 60529 resistant to vibration)
[Us] Rated Supply Voltage	24 V DC
Light Source	High luminosity LED, orange

## Complementary

Material	ABS (acrylonitrile butadiene-styrene): body part PC: globe
Cad Overall Width	5.12 in (130 mm)
Cad Overall Depth	5.12 in (130 mm)
Net Weight	1.76 lb(US) (0.8 kg)
Marking	CE
Product Mounting	By 3 M8 screws
Supply Voltage Limits	1930 V DC
[Uimp] Rated Impulse Withstand Voltage	0.8 kV
<b>Current Consumption</b>	125 mA
Flashing Frequency	2.7 Hz
Clamping Connection Capacity	1.25 mm²
Awg Gauge	AWG 18
Cable Length	15.75 in (400 mm)

## **Environment**

Standards	IEC 61000-6-2 IEC 61000-6-4
Protective Treatment	тс
Ambient Air Temperature For Storage	-31158 °F (-3570 °C)
Ambient Air Temperature For Operation	-22122 °F (-3050 °C)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

# Ordering and shipping details

Category	US100XV22617
Discount Schedule	00XV
Gtin	3606480033308
Returnability	No
Country Of Origin	ID

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	10.43 in (26.5 cm)
Package 1 Width	7.40 in (18.8 cm)
Package 1 Length	7.40 in (18.8 cm)
Package 1 Weight	2.69 lb(US) (1.218 kg)
Unit Type Of Package 2	S04
Number Of Units In Package 2	6
Package 2 Height	11.81 in (30.0 cm)
Package 2 Width	15.75 in (40.0 cm)
Package 2 Length	23.62 in (60.0 cm)
Package 2 Weight	18.60 lb(US) (8.438 kg)

# **Contractual warranty**

Warranty 18 months



Green Premium<sup>TM</sup> label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

# Well-being performance



Rohs Exemption Information

#### **Certifications & Standards**


Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov


## XVR13B05

## **Dimensions Drawings**

# Rotating Mirror Beacon

#### **Dimensions**





# **Product data sheet**

## XVR13B05

Mounting and Clearance

## Rotating Mirror Beacon

#### **Panel Cut-out**

