Product data sheet

Specifications





Rotating beacon, Harmony XVR, 130mm, orange, without buzzer, 120V AC

XVR13G05L

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 207.00 USD

Main

Range Of Product	Harmony XVR	
Product Or Component Type	Prewired rotating mirror beacon	
Sound Signalling	Without	
Device Short Name	XVR	
Mounting Diameter	5.12 in (130 mm)	
Ip Degree Of Protection	IP66 IEC 60529 IP67 IEC 60529	
[Us] Rated Supply Voltage	120 V AC	
Light Source	High luminosity LED, orange	

Complementary

Material	ABS (acrylonitrile butadiene-styrene): body part PC: globe
Cad Overall Width	5.12 in (130 mm)
Cad Overall Depth	5.12 in (130 mm)
Net Weight	2.18 lb(US) (0.99 kg)
Marking	CE
Product Mounting	By 3 M6 screws
[Uimp] Rated Impulse Withstand Voltage	4 KV
Current Consumption	42 mA
Flashing Frequency	2.7 Hz
Clamping Connection Capacity	1.25 mm ²
Awg Gauge	AWG 18
Cable Length	15.75 in (400 mm)

Environment

Standards	IEC 60947-1 IEC 60947-5-1
Protective Treatment	TC
Ambient Air Temperature For Storage	-31158 °F (-3570 °C)
Ambient Air Temperature For Operation	-22122 °F (-3050 °C)

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Ordering and shipping details

Category	US100XV22617	
Discount Schedule	00XV	
Gtin	3389119045315	
Returnability	No	
Country Of Origin	ID	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	10.63 in (27 cm)
Package 1 Width	7.36 in (18.7 cm)
Package 1 Length	7.40 in (18.8 cm)
Package 1 Weight	2.96 lb(US) (1.344 kg)

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Yes

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Rohs Exemption Information

Certifications & Standards


Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov


Product data sheet

Dimensions Drawings

Rotating Mirror Beacon

Dimensions





Product data sheet

Mounting and Clearance

Rotating Mirror Beacon

Panel Cut-out

