## **Product datasheet**

Specifications





# 130mm Rotating Mirror Orange 12VDC

Local distributor code: 398334873

XVR13J05

() Discontinued on: 7 Aug 2023

EAN Code: 3606480033285

#### Main

Range Of Product	Harmony XVR
Product Or Component Type	Prewired rotating mirror beacon
Sound Signalling	Without
Device Short Name	XVR
Mounting Diamete	130 mm
Ip Degree Of Protection	IP66 (resistant to vibration) conforming to IEC 60529
[Us] Rated Supply Voltage	12 V DC
Light Source	High luminosity LED, orange

## Complementary

Material	ABS (acrylonitrile butadiene-styrene): body part PC: globe
Cad Overall Width	130 mm
Cad Overall Depth	130 mm
Net Weight	0.8 kg
Marking	CE
Product Mounting	By 3 M8 screws
Supply Voltage Limits	1015 V DC
[Uimp] Rated Impulse Withstand Voltage	0.8 kV
Current Consumption	250 mA
Flashing Frequency	2.7 Hz
Clamping Connection Capacity	1.25 mm <sup>2</sup>
Awg Gauge	AWG 18
Cable Length	400 mm

## Environment

Standards	IEC 61000-6-2 IEC 61000-6-4
Protective Treatment	тс
Ambient Air Temperature For Storage	-3570 °C
Ambient Air Temperature For Operation	-3050 °C

#### **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	27.0 cm
Package 1 Width	19.5 cm
Package 1 Length	19.5 cm
Package 1 Weight	1.218 kg
Unit Type Of Package 2	S04
Number Of Units In Package 2	6
Package 2 Height	30.0 cm
Package 2 Width	40.0 cm
Package 2 Length	60.0 cm
Package 2 Weight	8.51 kg

## **Contractual warranty**

Warranty

18 months

## Sustainability Screen Premium

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Yes

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

## Well-being performance

Rohs Exemption Information


#### **Certifications & Standards**


Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

#### **Dimensions Drawings**

#### **Rotating Mirror Beacon**

#### Dimensions





## **Product datasheet**

Mounting and Clearance

#### **Rotating Mirror Beacon**

#### Panel Cut-out

