Product datasheet

Specifications





Electronic alarm, Harmony XVS, black, PNP, mounting support DIN 96, 0...96 dB, 16 tones, 4 channels, 12...24 V DC

XVS96BMBP

① Discontinued

() Discontinued on: 27 Sept 2022

Main

Range Of Product	Harmony XVS	
Product Or Component Type	Electronic alarm	
Device Short Name	XVS	

Complementary

· · · · · · · · · · · · · · · · · · ·		
Colour	Black	
Material	PC (polycarbonate): terminal cover PC (polycarbonate)/ABS (acrylonitrile butadiene-styrene): body	
Marking	CE	
Overvoltage Category	Class II conforming to EN/IEC 61140	
Mounting Support	96 mm DIN rail	
[Us] Rated Supply Voltage	1224 V DC	
[Uimp] Rated Impulse Withstand Voltage	0.8 kV	
Current Consumption	250 mA at 12 V	
	292 mA at 12 V	
	292 mA at 24 V	
	354 mA at 24 V	
Clamping Connection Capacity	<= 1 x 1.5 mm ²	
Width	96 mm	
Height	96 mm	
Depth	58.1 mm	
Net Weight	0.4 kg	

Environment

Discrete Output Type	PNP
Discrete Output Type	PNP
Signalling Type	16 tones alarm
Standards	EN/IEC 60947-5-1
	EN/IEC 60947-1
Protective Treatment	TC
Ambient Air Temperature For Storage	-3570 °C
Ambient Air Temperature For Operation	-2050 °C
Ip Degree Of Protection	Panel mounted: IP54 conforming to EN/IEC 60529

0...96 dB (continuous or intermittent tone) at 1 m

Packing Units

Number Of Units In Package 11Package 1 Height13.500 cmPackage 1 Width14.000 cmPackage 1 Length14.000 cmPackage 1 Weight536.000 gJnit Type Of Package 2S04Number Of Units In Package 216Package 2 Height30.000 cmPackage 2 Width40.000 cmPackage 2 Length60.000 cm	-	
Package 1 Height13.500 cmPackage 1 Width14.000 cmPackage 1 Length14.000 cmPackage 1 Weight536.000 gJnit Type Of Package 2S04Number Of Units In Package 216Package 2 Height30.000 cmPackage 2 Width40.000 cmPackage 2 Length60.000 cm	Unit Type Of Package 1	PCE
Package 1 Width14.000 cmPackage 1 Length14.000 cmPackage 1 Weight536.000 gDait Type Of Package 2S04Number Of Units In Package 216Package 2 Height30.000 cmPackage 2 Width40.000 cmPackage 2 Length60.000 cm	Number Of Units In Package 1	1
Package 1 Length 14.000 cm Package 1 Weight 536.000 g Juit Type Of Package 2 S04 Number Of Units In Package 2 16 Package 2 Height 30.000 cm Package 2 Width 40.000 cm Package 2 Length 60.000 cm	Package 1 Height	13.500 cm
Package 1 Weight 536.000 g Jnit Type Of Package 2 S04 Number Of Units In Package 2 16 Package 2 Height 30.000 cm Package 2 Width 40.000 cm Package 2 Length 60.000 cm	Package 1 Width	14.000 cm
Jnit Type Of Package 2 S04 Number Of Units In Package 2 16 Package 2 Height 30.000 cm Package 2 Width 40.000 cm Package 2 Length 60.000 cm	Package 1 Length	14.000 cm
Number Of Units In Package 2 16 Package 2 Height 30.000 cm Package 2 Width 40.000 cm Package 2 Length 60.000 cm	Package 1 Weight	536.000 g
Package 2 Height 30.000 cm Package 2 Width 40.000 cm Package 2 Length 60.000 cm	Unit Type Of Package 2	S04
Package 2 Width 40.000 cm Package 2 Length 60.000 cm	Number Of Units In Package 2	16
Package 2 Length 60.000 cm	Package 2 Height	30.000 cm
	Package 2 Width	40.000 cm
Package 2 Weight 9.843 kg	Package 2 Length	60.000 cm
	Package 2 Weight	9.843 kg

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Yes

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance



Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

Product datasheet

Dimensions Drawings

Electronic Alarm

Dimensions

