


Product data sheet

Specifications



Electronic alarm, Harmony XVS, white, NPN, mounting support DIN 96, 0...96dB, 16tones, 4 channels, 12...24V AC DC

XVS96BMWN

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 414.00 USD

Main

Range Of Product	Harmony XVS
Product Or Component Type	Electronic alarm
Device Short Name	XVS

Complementary

Color	White
Material	PC (polycarbonate): terminal cover PC (polycarbonate)/ABS (acrylonitrile butadiene-styrene): body
Marking	CE
Overvoltage Category	Class II IEC 61140
Mounting Support	96 mm DIN rail
[Us] Rated Supply Voltage	12...24 V DC
[Uimp] Rated Impulse Withstand Voltage	0.8 kV
Current Consumption	250 mA 12 V 292 mA 12 V 292 mA 24 V 354 mA 24 V
Clamping Connection Capacity	<= 1 x 1.5 mm²
Width	3.78 in (96 mm)
Height	3.78 in (96 mm)
Depth	2.29 in (58.1 mm)
Net Weight	0.88 lb(US) (0.4 kg)

Environment

Discrete Output Type	NPN
Signalling Type	16 tones alarm
Standards	IEC 60947-1 IEC 60947-5-1
Protective Treatment	TC
Ambient Air Temperature For Storage	-31...158 °F (-35...70 °C)
Ambient Air Temperature For Operation	-4...122 °F (-20...50 °C)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Ip Degree Of Protection	Panel mounted IP54 IEC 60529
Noise Level	0...96 dB continuous or intermittent tone)1 m

Ordering and shipping details

Category	US100XV22617
Discount Schedule	00XV
Gtin	3606480072024
Returnability	No
Country Of Origin	ID

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.31 in (13.5 cm)
Package 1 Width	5.55 in (14.1 cm)
Package 1 Length	5.55 in (14.1 cm)
Package 1 Weight	18.84 oz (534.0 g)

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability



Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance

 Mercury Free

 RoHS Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
California Proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Dimensions Drawings

Electronic Alarm

Dimensions

