ZA110 1/3



PRODUCT-DETAILS

ZA110

ZA110 24V 50Hz Operating Coil



General Information	
Extended Product Type	ZA110
Product ID	1SFN154310R8106
EAN	7320500149577
Catalog Description	ZA110 24V 50Hz Operating Coil
Long Description	a.c. operated contactor coil
Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85045095
Popular Downloads	
Data Sheet, Technical Information	1SBC100214C0202
Instructions and Manuals	5309660-60
CAD Dimensional <u>Drawing</u>	2CDC001079B0201

ZA110 2/3

Dimensions	
Dimensions	450
Product Net Width	150 mm
Product Net Depth / Length	40 mm
Product Net Height	35 mm
Product Net Weight	0.17 kg
Technical	
Rated Control Circuit Voltage (U _c)	50 Hz 24 V 60 Hz 24 V
Terminal Type	Screw Terminals
Suitable For	A95 A110 UA95 UA110
Suitable for Product Class	Block Contactors
Product Name	Operating Coil
Material Compliance	
Material Compliance Conflict Minerals	9AKK108467A5658
Reporting Template (CMRT)	3AN 100407A3030
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE B2C / B2B WEEE Category	Business To Business 5. Small Equipment (No External Dimension More Than 50 cm)
Certificates and Declarations	
Declaration of Conformity - CE	2CMT005321
Declaration of Conformity - UKCA	2CMT2020-006120
Container Information	
Package Level 1 Units	box 1 piece
Package Level 1 Width Package Level 1 Depth / Length	43 mm 167 mm
Package Level 1 Height	40 mm
Package Level 1 Gross	0.22 kg
Weight	7000500440577
Package Level 1 EAN	7320500149577
External Classifications and Standards	
Object Classification Code	
	EC002498 - Accessories for low-voltage switch technology
ETIM 7	
ETIM 7 ETIM 8	
	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology EC002498 - Accessories/spare parts for low-voltage switch technology 39121529 4120961

ZA110 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Control\ Products \rightarrow Contactors \rightarrow Block\ Contactors$

