ZA110 1/3



PRODUCT-DETAILS

# **ZA110**

# ZA110 48V 50Hz Operating Coil



General Information	
Extended Product Type	ZA110
Product ID	1SFN154310R8306
EAN	7320500149591
Catalog Description	ZA110 48V 50Hz Operating Coil
Long Description	a.c. operated contactor coil

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85045095

Popular Downloads	
Data Sheet, Technical Information	1SBC100214C0202
Instructions and Manuals	5309660-60
CAD Dimensional	2CDC001079B0201

ZA110 2/3

#### Drawing

Dimensions	
Product Net Width	150 mm
Product Net Depth / Length	40 mm
Product Net Height	35 mm
Product Net Weight	0.17 kg

Technical	
Rated Control Circuit	50 Hz 48 V
Voltage (U <sub>c</sub> )	60 Hz 48 V
Terminal Type	Screw Terminals
Suitable For	A95
	A110
	UA95
	UA110
Suitable for Product	Block Contactors
Class	
Product Name	Operating Coil

Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations	
Declaration of Conformity - CE	2CMT005321
Declaration of Conformity - UKCA	2CMT2020-006120

Container Information	
Package Level 1 Units	box 1 piece
Package Level 1 Width	43 mm
Package Level 1 Depth / Length	167 mm
Package Level 1 Height	40 mm
Package Level 1 Gross Weight	0.22 kg
Package Level 1 EAN	7320500149591

### **External Classifications and Standards**

ZA110 3/3

Object Classification Code	М
ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
UNSPSC	39121529
E-Number (Finland)	3709239
E-Number (Norway)	3229062

## Categories

 $\textbf{Low Voltage Products and Systems} \rightarrow \textbf{Control Products} \rightarrow \textbf{Contactors} \rightarrow \textbf{Block Contactors}$ 

