



Selector switch, Harmony XAC, plastic, black, 2 positions, left/right withdrawal position, stay put

ZA2BG4

Main

| Range Of Product | Harmony XAC | |
|---------------------------|-----------------|--|
| Product Or Component Type | Selector switch | |
| Component Name | ZA2 | |
| Product Compatibility | XACA | |

Complementary

| Net Weight | 0.042 kg |
|-------------------------------|---|
| Cap/Operator Or Lens Colour | Black |
| Marking | Unmarked |
| Mounting Location | Base of enclosure Front of enclosure |
| Sale Per Indivisible Quantity | 1 |

Environment

| Standards | IEC 60947-5-1 CSA C22.2 No 14 UL 508 IEC 60204-32 | |
|---------------------------------------|--|--|
| Ambient Air Temperature For Operation | -2570 °C | |
| Ambient Air Temperature For Storage | -4070 °C | |
| Vibration Resistance | 15 gn (f= 10500 Hz) conforming to IEC 60068-2-6 | |
| Shock Resistance | 100 gn conforming to IEC 60068-2-27 | |
| Overvoltage Category | Class II conforming to IEC 61140 | |
| Ip Degree Of Protection | Protection IP65 conforming to IEC 60529 | |
| Ik Degree Of Protection | IK08 conforming to IEC 62262 | |

Packing Units

| Unit Type Of Package 1 | PCE |
|------------------------------|--------|
| Number Of Units In Package 1 | 1 |
| Package 1 Height | 3.0 cm |
| Package 1 Width | 3.0 cm |
| Package 1 Length | 6.0 cm |
| Package 1 Weight | 49.0 g |
| Unit Type Of Package 2 | BB1 |

| Number Of Units In Package 2 | 10 |
|------------------------------|----------|
| Package 2 Height | 6.0 cm |
| Package 2 Width | 24.0 cm |
| Package 2 Length | 18.0 cm |
| Package 2 Weight | 497.0 g |
| Unit Type Of Package 3 | S02 |
| Number Of Units In Package 3 | 50 |
| Package 3 Height | 15.0 cm |
| Package 3 Width | 30.0 cm |
| Package 3 Length | 40.0 cm |
| Package 3 Weight | 2.788 kg |



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

| ⊘ | Reach Free Of Svhc | |
|----------|----------------------------|-----|
| Ø | Toxic Heavy Metal Free | |
| 9 | Mercury Free | |
| ⊘ | Rohs Exemption Information | Yes |

Certifications & Standards

| Reach Regulation | REACh Declaration |
|--------------------------|--|
| Eu Rohs Directive | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration |
| China Rohs Regulation | China RoHS declaration |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | End of Life Information |