

legend - 30 x 40 mm - white - right, slow

Local distributor code:

21151491 ZB2BY4907

EAN Code: 3389110645569

Main

product or component type	Marked legend
Device application	With symbol conforming to NF E 52-124
accessory / separate part type	Legend
Accessory / separate part categor	Marking accessory

Complementary

Marking	Black right, slow on white background (horizontal mounting)	
User language	English	
Standards	NF E 52-124	
net weight	0.001 kg	
Accessory / separate part destination	Pendant control station for control circuit Pendant control station for power circuit	
Product compatibility	XACA XACM XACB	
Label dimensions	30 x 40 mm	—

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.1 cm
Package 1 Width	3.0 cm
Package 1 Length	4.0 cm
Package 1 Weight	0.9 g
Unit Type of Package 2	BAG
Number of Units in Package 2	10
Package 2 Height	1.0 cm
Package 2 Width	7.0 cm
Package 2 Length	7.0 cm
Package 2 Weight	9.0 g
Unit Type of Package 3	S01
Number of Units in Package 3	1000
Package 3 Height	15.0 cm

Package 3 Width	15.0 cm	
Package 3 Length	40.0 cm	
Package 3 Weight	1.145 ka	

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

⊘ F	Reach Free Of Svhc	
⊘ T	oxic Heavy Metal Free	
⊘ N	Mercury Free	
⊘ F	Rohs Exemption Information	Yes
Reach	Regulation	REACh Declaration
Eu Rol	hs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China	Rohs Regulation	China RoHS declaration
Circula	arity Profile	No need of specific recycling operations