


# Product data sheet

Specifications



## Flush mounting kit 30mm for push button and pilot light 22mm, Harmony XB4, metal

ZB4BZ021

Product availability: Stock - Normally stocked in distribution facility

Price\*: 2.28 USD

### Main

Range Of Product	Harmony XB4
Product Or Component Type	Flush mounting kit
Accessory / Separate Part Category	Mounting and fixing accessory
Accessory / Separate Part Destination	Pilot light Push-button

### Complementary

Product Compatibility	ZB4BH flush ZB4BL ZB4BA flush ZB4BV
Surface Finish	Chromium plated
Ip Degree Of Protection	IP66 IEC 60529 front face) IP69 IEC 60529 front face) IP69K DIN 40050-9 front face)
Ik Degree Of Protection	IK06 conforming to IEC 50102
Mounting Diameter	1.20 in (30.5 mm)
Quantity Per Set	Set of 1

### Ordering and shipping details

Category	US1CP1018079
Discount Schedule	CP10
Gtin	3606485440200
Returnability	Yes
Country Of Origin	US

### Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.73 in (4.400 cm)
Package 1 Width	2.09 in (5.300 cm)
Package 1 Length	2.17 in (5.500 cm)
Package 1 Weight	1.13 oz (32.000 g)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type Of Package 2	S02
Number Of Units In Package 2	80
Package 2 Height	5.91 in (15.000 cm)
Package 2 Width	11.81 in (30.000 cm)
Package 2 Length	15.75 in (40.000 cm)
Package 2 Weight	6.31 lb(US) (2.860 kg)
Unit Type Of Package 3	P06
Number Of Units In Package 3	1280
Package 3 Height	29.53 in (75.000 cm)
Package 3 Width	23.62 in (60.000 cm)
Package 3 Length	31.50 in (80.000 cm)
Package 3 Weight	119.62 lb(US) (54.260 kg)

# Sustainability

**Green Premium™ label** is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)


[Guide to assess a product’s sustainability >](#)

## Well-being performance

✓	Reach Free Of Svhc	
✓	Toxic Heavy Metal Free	
✓	Mercury Free	
✓	Rohs Exemption Information	Yes
Reach Regulation	REACH Declaration	
Eu Rohs Directive	Compliant	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration	
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.	

Dimensions Drawings

Dimensions with Flush Mounting Kit



e : Clamping thickness : 1.2 to 2.8 mm / 0.05 to 0.11 in.  
(1) Additional row of contacts or double contact

Mounting and Clearance

Panel Cut-Out and Mounting

---

