



# white square projecting pushbutton head Ø22 spring return unmarked

ZB5CL1

! Discontinued on: 1 Jul 2020

! Discontinued

#### Main

Range of product	Harmony XB5	
Product or component type	Head for non-illuminated push-button	
Device short name	ZB5	
Bezel material	Dark grey plastic	
Mounting diameter	22 mm	
Head type	Standard	
Sale per indivisible quantity	1	
Shape of signaling unit head	Square	
Type of operator	spring return	
Operator profile	White projecting, unmarked	

### Complementary

CAD overall width	30 mm	
CAD overall height	30 mm	
CAD overall depth	33 mm	
Net weight	0.021 kg	
Mechanical durability	5000000 cycles	
Station name	XALD 15 cut-outs XALK 25 cut-outs	
Electrical composition code	C1 for <9 contacts using single blocks in front mounting C2 for <9 contacts using single and double blocks in front mounting C11 for <3 contacts using single blocks in front mounting C15 for <1 contacts using single blocks in front mounting SF1 for <3 contacts using single blocks in front mounting SR1 for <3 contacts using single blocks in rear mounting	
Device presentation	Basic element	

#### **Environment**

protective treatment	тн	
Ambient air temperature for storage	-4070 °C	
Ambient air temperature for operation	-2570 °C	
Overvoltage category	Class II conforming to IEC 60536	
IP degree of protection	IP66 conforming to IEC 60529	

NEMA degree of protection	NEMA 13 NEMA 4X	
Resistance to high pressure washer	7000000 Pa at 55 °C, distance : 0.1 m	
IK degree of protection	IK03 conforming to IEC 50102	
product certifications	BV LROS (Lloyds register of shipping) UL listed CSA GL DNV	
Shock resistance  30 gn (duration = 18 ms) for half sine wave acceleration conforming to II 60068-2-27 50 gn (duration = 11 ms) for half sine wave acceleration conforming to II 60068-2-27		
Vibration resistance	5 gn (f= 2500 Hz) conforming to IEC 60068-2-6	

## **Contractual warranty**

Warranty 18 months



**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance

	Reach Free Of Svhc	
<b>⊘</b>	Mercury Free	
<b>②</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**

Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information