




PRODUCT-DETAILS

KLC-S Key lock open N.20005 E2.2..E6.2



General Information

Extended Product Type	KLC-S Key lock open N.20005 E2.2..E6.2
Product ID	1SDA073792R1
EAN	8015644777258
Catalog Description	KLC-S Key lock open N.20005 E2.2..E6.2
Long Description	KEY LOCK EQUAL N.20005 IN OPEN BETWEEN MORE C.BREAKERS E2.2...E6.2

Material Compliance

REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental

Environmental Information9AKK108467A6707

Ordering

Order Code US and Canada	ZEBKLC5
EAN	8015644777258
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.2 kg
--------------------	--------

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	145 mm
Package Level 1 Height	30 mm
Package Level 1 Depth / Length	200 mm
Package Level 1 Gross Weight	0.3 kg
Package Level 1 EAN	8015644777258

Additional Information

Product Main Type	Accessories for Emax 2
Product Name	Accessory
Product Type	Accessory
Suitable For	E2.2, E4.2, E6.2
Suitable for Product Class	SACE Emax 2

Technical

Configuration Type	Loose or configurable
Standards	IEC

Certificates and Declarations

Data Sheet, Technical Information	1SDC200023D0204
Declaration of Conformity - CE	9AKK106713A5902 9AKK106713A5545 9AKK106713A5544
Instructions and Manuals	1SDH001000R0702

Classifications

ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
IDEA Granular Category Code (IGCC)	5219 >> Switch part or accessory
Object Classification Code	Q
UNSPSC	39122221

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371392

Categories

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Accessories for Emax 2

