

PRODUCT-DETAILS

ZLS252

ZLS252 Incoming terminal block



General Information

Extended Product Type	ZLS252
Product ID	2CCV672502R0001
EAN	7612270505326
Catalog Description	ZLS252 Incoming terminal block
Long Description	Incoming terminal Feeder component L2 with 2 Modules 36mm width, 200A; 10 mm ² up to 95 mm ² max. 1 wire. For the SMISLINE TP 125A and 250A system

Technical

Standards	IEC/EN 61439-6
Type of Residual Current	standard version
Rated Operational Voltage	230 / 400 V AC
Rated Current (I _n)	200 A
Surface Finishing	Tinned
Model Number	Flat

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Environmental Information	2CCY451206D0201

Dimensions

Product Net Width	36 mm
Product Net Height	50 mm
Product Net Depth / Length	86 mm
Product Net Weight	120 g
Product Net Length	86 mm

Container Information

Package Level 1 Units	carton 1 piece
Package Level 1 Width	74 mm
Package Level 1 Height	87 mm
Package Level 1 Depth / Length	100 mm
Package Level 1 Gross Weight	154 g
Package Level 1 EAN	7612270505326

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389040
E-Number (Switzerland)	809997027
Country of Origin	Switzerland (CH)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK107991A9646
Environmental Information	2CCY451206D0201
Instructions and Manuals	2CCR183301B0001
RoHS Information	9AKK107991A9646

Popular Downloads

Data Sheet, Technical Information	9AKK107492A6192
Instructions and Manuals	2CCR183301B0001
Dimension Diagram	9AKK107492A6192

Classifications

ETIM 7	EC001522 - Busbar
ETIM 8	EC001522 - Busbar
EPLAN Catalog Tree	Electrical engineering / Protection devices / General
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85389040
eClass	V11.0 : 27370303
Object Classification Code	W

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Plug-in Distribution Systems Accessories → Incoming Blocks and Terminals, Loose Accessories

