



PRODUCT-DETAILS

**AL16/050/CS90/BL**  
**90D SWL PA66/NPB FTG 1/2NPT 16MM**



| General Information    |                                                                                                                 |
|------------------------|-----------------------------------------------------------------------------------------------------------------|
| Extended Product Type: | AL16/050/CS90/BL                                                                                                |
| Product ID:            | 7TCA296000R0324                                                                                                 |
| EAN:                   | 5020963782640                                                                                                   |
| Catalog Description:   | 90D SWL PA66/NPB FTG 1/2NPT 16MM                                                                                |
| Long Description:      | 90 Degree Conduit Fitting, Swivel External Male Thread, Nominical Conduit Size 16mm, 1/2 Inch NPT Thread, Black |
| Display Name:          | AL16/050/CS90/BL                                                                                                |

| Additional Information |                                                                    |
|------------------------|--------------------------------------------------------------------|
| Product Main Type:     | Adaptaflex Flexible Cable Protection                               |
| Application:           | For Insertion into Threaded Entries or Knockout to Connect Conduit |

| Ordering |               |
|----------|---------------|
| EAN:     | 5020963782640 |

UPC: 786210279657

## Dimensions

Product Net Weight: .090405 lb  
41 g

## Technical

Number of Batteries: 0  
Color: Black  
Material: Polyamide/Nylon 6.6  
Size: NC 16mm

## Environmental

WEEE Category: Product Not in WEEE Scope  
RoHS Information: Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

## Container Information

Package Level 1 Units: 10 piece  
Package Level 1 EAN: 5020963782640  
Package Level 1 Height: 7.87 in  
200 mm  
Package Level 1 Depth / Length: 1 in  
25 mm  
Package Level 1 Width: 5.9 in  
150 mm

## Certificates and Declarations

Declaration of Conformity - CE: 9AKK107492A9618  
RoHS Declaration: 9AKK107992A8994  
REACH Declaration: 9AKK107992A8994

## External Classifications and Standards

ETIM 8: EC001176 - Screw connection for corrugated plastic hose  
ETIM 9: EC001176 - Screw connection for corrugated plastic hose  
UNSPSC: 39121311

---

**Categories**

---

Products > Low Voltage Products and Systems > Installation Products > Cable Protection, Explosion Proof and Lighting > Flexible Cable Protection Systems > Adaptaflex Flexible Cable Protection

