



PRODUCT-DETAILS

AL21/U144/45/000620
45D PA66 FITTING U144 21MM-BL



General Information	
Extended Product Type:	AL21/U144/45/000620
Product ID:	7TCA296000R0732
EAN:	5020963011443
Catalog Description:	45D PA66 FITTING U144 21MM-BL
Long Description:	Connector Conduit Fitting, 45 Degree Elbow, Conduit Size 21, 1-7/16 Inch Connector UNEF Thread, Swivel Internal Thread, Black
Display Name:	AL21/U144/45/000620

Additional Information	
Product Main Type:	Adaptaflex Flexible Cable Protection
Application:	For Insertion into Threaded Entries or Knockout to Connect Conduit

Ordering	
EAN:	5020963011443

UPC: 786210288604

Dimensions

Product Net Weight: .04851 lb
22 g

Technical

Number of Batteries: 0
Color: Black
Material: Polyamide/Nylon 6.6
Size: NC 21mm

Environmental

WEEE Category: Product Not in WEEE Scope
RoHS Information: Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information

Package Level 1 Units: 10 piece
Package Level 1 EAN: 5020963011443
Package Level 1 Height: 9.84 in
250 mm
Package Level 1 Depth / Length: 1 in
25 mm
Package Level 1 Width: 7.87 in
200 mm

Certificates and Declarations

Declaration of Conformity - CE: 9AKK107492A9618
RoHS Declaration: 9AKK107992A8994
REACH Declaration: 9AKK107992A8994

External Classifications and Standards

ETIM 8: EC001176 - Screw connection for corrugated plastic hose
ETIM 9: EC001176 - Screw connection for corrugated plastic hose
UNSPSC: 39121311

Categories

Products > Low Voltage Products and Systems > Installation Products > Cable Protection, Explosion Proof and Lighting > Flexible Cable Protection Systems > Adaptaflex Flexible Cable Protection

