



PRODUCT-DETAILS

AL42/A/U/BL
STR SWL PA66/AL COUPLER 42MM-BL



General Information	
Extended Product Type:	AL42/A/U/BL
Product ID:	7TCA296000R1073
EAN:	5020963797217
Catalog Description:	STR SWL PA66/AL COUPLER 42MM-BL
Long Description:	Straight PA66 Body Swivel Coupler, Nominal Conduit Size 42mm, Polyamide (Nylon) 66 and Aluminium, Black
Display Name:	AL42/A/U/BL

Additional Information	
Product Main Type:	Adaptaflex Flexible Cable Protection
Application:	For Coupling Two Corrugated Flexible Conduits

Ordering	
EAN:	5020963797217

UPC: 786210292526

Dimensions

Product Net Weight: .2205 lb
100 g

Outside Diameter: 53.8 mm

Technical

Number of Batteries: 0

Color: Black

Material: Polyamide/Nylon 6.6 and Aluminium

Environmental

WEEE Category: Product Not in WEEE Scope

RoHS Information: Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information

Package Level 1 Units: 10 piece

Package Level 1 EAN: 5020963797217

Package Level 1 Height: 7.87 in
200 mm

Package Level 1 Depth / Length: 1 in
25 mm

Package Level 1 Width: 7.08 in
180 mm

Certificates and Declarations

Declaration of Conformity - CE: 9AKK107492A9618

RoHS Declaration: 9AKK107992A8994

REACH Declaration: 9AKK107992A8994

External Classifications and Standards

ETIM 8: EC001172 - Coupler for corrugated plastic hoses

ETIM 9: EC001172 - Coupler for corrugated plastic hoses

UNSPSC: 39131707

Categories

Products > Low Voltage Products and Systems > Installation Products > Cable Protection, Explosion Proof and Lighting > Flexible Cable Protection Systems > Adaptaflex Flexible Cable Protection

