



PRODUCT-DETAILS

AL54/M50/A/GR
STR PA66 FITTING M50 54MM-GR



General Information	
Extended Product Type:	AL54/M50/A/GR
Product ID:	7TCA296000R1217
EAN:	5020963005091
Catalog Description:	STR PA66 FITTING M50 54MM-GR
Long Description:	Straight Conduit Fitting, Fixed External Male Thread, Nominal Conduit Size 54mm, M50 Thread, Polyamide (Nylon) 66, Grey
Display Name:	AL54/M50/A/GR

Additional Information	
Product Main Type:	Adaptaflex Flexible Cable Protection
Application:	For Insertion into Threaded Entries or Knockout to Connect Conduit

Ordering	
EAN:	5020963005091

UPC: 786210265094

Technical

Number of Batteries:	0
Color:	Gray
Material:	Polyamide/Nylon 6.6
Size:	NC 54mm

Environmental

WEEE Category:	Product Not in WEEE Scope
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information

Package Level 1 Units:	2 piece
Package Level 1 EAN:	5020963005091
Package Level 1 Height:	0.01 in 0.25 mm
Package Level 1 Depth / Length:	0.01 in 0.25 mm
Package Level 1 Width:	0.01 in 0.25 mm

Certificates and Declarations

Declaration of Conformity - CE:	9AKK107492A9618
RoHS Declaration:	9AKK107992A8994
REACH Declaration:	9AKK107992A8994

External Classifications and Standards

ETIM 8:	EC001176 - Screw connection for corrugated plastic hose
ETIM 9:	EC001176 - Screw connection for corrugated plastic hose
UNSPSC:	39121311

Categories

Products > Low Voltage Products and Systems > Installation Products > Cable Protection, Explosion Proof and Lighting > Flexible Cable Protection Systems > Adaptaflex Flexible Cable Protection

