



PRODUCT-DETAILS

ASF21X3/T/BL
INSP. T-PIECE PA66 21/21/21MM-BL



General Information	
Extended Product Type:	ASF21X3/T/BL
Product ID:	7TCA296000R1687
EAN:	5020963010767
Catalog Description:	INSP. T-PIECE PA66 21/21/21MM-BL
Long Description:	Adaptaseal Rotational Inspection T-Piece, Fine Profile, Nominal Conduit Size 21mm, Polyamide (Nylon) 66, Black
Display Name:	ASF21X3/T/BL

Additional Information	
Product Main Type:	Adaptaflex Flexible Cable Protection
Application:	For Coupling Three Flexible Conduits in a T Configuration

Ordering	
EAN:	5020963010767

UPC: 786210281605

Technical

Number of Batteries:	0
Color:	Black
Material:	Polyamide/Nylon 6.6

Environmental

WEEE Category:	Product Not in WEEE Scope
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information

Package Level 1 Units:	10 piece
Package Level 1 EAN:	5020963010767
Package Level 1 Height:	1.4 in 36 mm
Package Level 1 Depth / Length:	1.2 in 30 mm
Package Level 1 Width:	1.4 in 36 mm

Certificates and Declarations

Declaration of Conformity - CE:	9AKK107492A9618
RoHS Declaration:	9AKK107992A8994
REACH Declaration:	9AKK107992A8994

External Classifications and Standards

ETIM 8:	EC001172 - Coupler for corrugated plastic hoses
ETIM 9:	EC001172 - Coupler for corrugated plastic hoses
UNSPSC:	39131717

Categories

Products > Low Voltage Products and Systems > Installation Products > Cable Protection, Explosion Proof and Lighting > Flexible Cable Protection Systems > Adaptaflex Flexible Cable Protection

