



PRODUCT-DETAILS

ASP500

500 AL TP SPLICE SLEEVE 5IN PNK



General Information	
Extended Product Type:	ASP500
Product ID:	7TAH007890R1143
EAN:	5415022587951
Catalog Description:	500 AL TP SPLICE SLEEVE 5IN PNK
Long Description:	Type ASP Aluminum Splice, Max 35KV, Wire Size 500 kcmil, Length 5 Inch, Tin Plated, Die Color Code Pink
Display Name:	ASP500

Ordering	
EAN:	5415022587951
UPC:	783786610730
Country of Origin:	Mexico
Selling Unit of Measure:	each

Container Information

Package Level 1 Units:	2 EA
Package Level 1 Width:	99.06 mm 3.9 in
Package Level 1 Height:	68.58 mm 2.7 in
Package Level 1 Depth / Length:	134.62 mm 5.3 in
Package Level 2 Units:	20 EA
Package Level 2 Width:	205.74 mm 8.1 in
Package Level 2 Height:	154.94 mm 6.1 in
Package Level 2 Depth / Length:	383.54 mm 15.1 in
Package Level 3 Units:	1200 EA
Package Level 3 Width:	0 mm 0 in
Package Level 3 Height:	0 mm 0 in
Package Level 3 Depth / Length:	0 mm 0 in

Additional Information

Brand / Label:	Color Keyed / Blackburn
Color:	Pink
Effective Date:	19991027
Insulation Material:	None
Material:	Aluminum
Product Name:	"TERMINALS, ELECTRICAL SPLICES"
Product Type:	Aluminum Splice
Special Functions:	Made of high-conductivity seamless aluminum tubing. Tin plated for corrosion resistance.
Standards:	UL E9809
Sub Brand / Label:	Blackburn
Surface Finishing:	Tin Plated
Voltage Rating:	35 kV

External Classifications and Standards

ETIM 7:	EC001059 - Crimp splices for copper conductor
ETIM 8:	EC001059 - Crimp splices for copper conductor
ETIM 9:	EC001059 - Crimp splices for copper conductor
ETIM 10:	EC001059 - Crimp splices for copper conductor
UNSPSC:	39121449
IDEA Granular Category Code (IGCC):	4669 >> Wire or cable compression splice

Material Compliance	
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Information:	False - does not contain substances > 0.1 mass percentage
WEEE Category:	Product Not in WEEE Scope

Categories

Products > Low Voltage Products and Systems > Installation Products > Wire Management and Connectivity > Compression & Mechanical Connectors > Compression Connectors

