



PRODUCT-DETAILS

B/PG29-M25/TC

NPB THREAD CONV MALE PG29/M25 FEM



General Information	
Extended Product Type:	B/PG29-M25/TC
Product ID:	7TCA296050R0210
EAN:	5020963003998
Catalog Description:	NPB THREAD CONV MALE PG29/M25 FEM
Long Description:	Converter, PG29 External Thread to M25 Internal Thread, Nickel Plated Brass
Display Name:	B/PG29-M25/TC

Additional Information	
Product Main Type:	Adaptaflex Flexible Cable Protection
Application:	To Change Thread Type and Size for Two Piece of Conduit

Ordering	
EAN:	5020963003998
UPC:	786210258157

Dimensions

Product Net Weight:	.14553 lb 66 g
Outside Diameter:	44.0 mm

Technical

Number of Batteries:	0
Material:	Nickel Plated Brass

Environmental

WEEE Category:	Product Not in WEEE Scope
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information

Package Level 1 Units:	2 piece
Package Level 1 EAN:	5020963003998
Package Level 1 Height:	7.87 in 200 mm
Package Level 1 Depth / Length:	1 in 25 mm
Package Level 1 Width:	5.9 in 150 mm

Certificates and Declarations

Declaration of Conformity - CE:	9AKK107492A9618
RoHS Declaration:	9AKK107992A8994
REACH Declaration:	9AKK107992A8994

External Classifications and Standards

ETIM 8:	EC000938 - Enlargement/reducing ring
ETIM 9:	EC000938 - Enlargement/reducing ring
UNSPSC:	39131707

Categories

Products > Low Voltage Products and Systems > Installation Products > Cable Protection, Explosion Proof and Lighting > Flexible Cable Protection Systems > Adaptaflex Flexible Cable Protection

