

SZG 0,6X3,5 VDE - Screwdriver



1205121

<https://www.phoenixcontact.com/us/products/1205121>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Screwdriver, slot-headed, graded, for test socket screws, size: 0.6 x 3.5 x 100 mm, 2-component grip, with non-slip grip

Your advantages

- Screwdriver ideally suited for test socket screws
- For working on or in the vicinity of live parts up to 1000 V AC or 1500 V DC
- The tools feature ergonomic two-component safety handles
- VDE-tested, for maximum safety

Commercial data

Item number	1205121
Packing unit	10 pc
Sales key	BH31
Product key	BH3144
Catalog page	Page 445 (C-3-2019)
GTIN	4017918019136
Weight per piece (including packing)	56.75 g
Weight per piece (excluding packing)	56.75 g
Customs tariff number	82054000
Country of origin	CZ

SZG 0,6X3,5 VDE - Screwdriver

1205121

<https://www.phoenixcontact.com/us/products/1205121>



Technical data

Notes

General	Stepped blade
Environmental Product Compliance	
California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration


Product properties

Type	Bladed
Product type	Screwdriver tools

Connection data

Output	Test socket screws
--------	--------------------

Dimensions

Dimensional drawing	
Width	33 mm
Blade width	3.5 mm
Blade height	100 mm
Length	198 mm
Wrench size for mounting	0 mm
Blade thickness	0.6 mm

Material specifications

Color	silver
Material	alloyed tool steel

Standards and regulations

Tests	IEC 60900:2004
-------	----------------

Mounting

Wrench size	0 mm
-------------	------

SZG 0,6X3,5 VDE - Screwdriver

1205121

<https://www.phoenixcontact.com/us/products/1205121>



Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com