




PRODUCT-DETAILS

BEA140/XT2

BEA140/XT2 Connection Set



General Information	
Extended Product Type	BEA140/XT2
Product ID	1SFN084206R1000
EAN	7320500480816
Catalog Description	BEA140/XT2 Connection Set
Long Description	Connections for vertical compact mounting of contactor and breaker, AF116..146 + XT2

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Popular Downloads	
Data Sheet, Technical Information	1SBC100214C0202
Instructions and Manuals	N/A
CAD Dimensional	2CDC001079B0201

Drawing

Dimensions

Product Net Width	83 mm
Product Net Depth / Length	12 mm
Product Net Height	53 mm
Product Net Weight	0.058 kg

Technical

Terminal Type	Screw Terminals
Suitable For	AF116 AF140 AF146 XT2
Suitable for Product Class	Block Contactors
Product Name	Connection Set

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

cUL Certificate	20120925-E36588
Declaration of Conformity - CE	2CMT004895
Declaration of Conformity - UKCA	2CMT2020-006120

Container Information

Package Level 1 Units	bag 1 piece
Package Level 1 Width	83 mm
Package Level 1 Depth / Length	53 mm
Package Level 1 Height	36 mm
Package Level 1 Gross Weight	0.073 kg
Package Level 1 EAN	7320500480816

Classifications

Object Classification	W
-----------------------	---

Code	
ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
eClass	V11.0 : 27371392
UNSPSC	39122221
IDEA Granular Category Code (IGCC)	5219 >> Switch part or accessory
E-Number (Finland)	3706539
E-Number (Norway)	4117893
E-Number (Sweden)	3210226

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors

